



000-011

**(IBM Tivoli Application Dependency and Discovery Manager v7.1
Implementation)**

Total Questions: 100

Last Updated: Sep 09, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-011 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

How is a community string used by IBM Tivoli Application Dependency and Discovery Manager V7.1?

- A. To authenticate Apache servers
- B. As an access credential for SNMP devices
- C. To access only non-Cisco network devices
- D. As a base value to encrypt passwords in collation.properties

Answer: B

Question: 2

Data level security has been enabled on an IBM Tivoli Application Dependency and Discovery Manager V7.1 (TADDM) server. Access Collection 'AC1' contains all Linux Computer Systems. 'User1' has access to AC1 and AC2, an Access Collection of Oracle databases. A discovery finds new Linux computer systems. Which statement is true?

- A. User1 receives notification of the new Linux computer systems.
- B. AC1 is flagged and the administrator must reset the Access Collection.
- C. User1 will only see the details of the original set of Linux computer systems.
- D. User1 will see the details of both the original set of Linux computer systems and the newly discovered systems.

Answer: C

Question: 3

You suspect that an IBM Tivoli Application Dependency and Discovery Manager V7.1 process is having memory problems. Which action should be taken first to determine if the application has failed because of an out of memory condition?

- A. Check the log/services/core.log file
- B. Check for core.<pid> files in the bin directory
- C. Check the core.XXX.XXX.XXX.dmp files found in the log directory
- D. Check the service log file of the service suspected of running out of memory

Answer: B

Question: 4

Which api command is used to delete all configuration items from the IBM Tivoli Application Dependency and Discovery Manager V7.1 topology?

- A. api.sh -u <userid> -p <password> delete all
- B. api.sh -u <userid> -p <password> topology clear
- C. api.sh -u <userid> -p <password> topology delete all
- D. api.sh -u <userid> -p <password> collation topology all

2

Answer: B

Question: 5

Which log settings are used in IBM Tivoli Application Dependency and Discovery Manager V7.1?

- A. ERROR, WARN, INFO, DEBUG, FATAL
- B. DEBUG, INFO, WARN, ERROR, FATAL
- C. FATAL, ERROR, WARN, INFO, DEBUG
- D. INFO, DEBUG, WARN, ERROR, FATAL

IBM Tivoli Application Dependency and Discovery

000-011 Demo Exam

Answer: C

Question: 6

Which command for IBM Tivoli Application Dependency and Discovery Manager is used to test whether an IBM Tivoli Application Dependency and Discovery Manager user has valid access to a UNIX system?

- A. testssh.py
- B. wmiscan.jy
- C. encryptprops.sh
- D. testconnection.py

Testing whether an IBM Tivoli Application Dependency and Discovery Manager user has valid access

Answer: A

Question: 7

Which command is used to test whether an IBM Tivoli Application Dependency and Discovery Manager user has valid access to a UNIX system?

- A. UNIX: sstest.sh
- B. UNIX: testssh.sh
- C. UNIX: execssh.sh
- D. UNIX: testconnection.py

Testing whether an IBM Tivoli Application Dependency and Discovery Manager user has valid access

Answer: D