



000-014

(IBM Tivoli Storage Manager FastBack v5.5 Specialist)

Total Questions: 130

Last Updated: May 08, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-014 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

The system volumes are being backed up twice a week Data volumes are backed up four times a day CDP is used for critical data only Data change rate is 1-3% daily Data is kept for three months Compressible data will only be compressed at the disaster recovery site What is an appropriate amount of disk space to start with in the repository?

- A. half the disk space available
- B. the same size as the protected data space
- C. three to five times the protected data space
- D. one and a half times the protected data space

Answer: C

Question: 2

A customer wants to back up three Microsoft Exchange servers with IBM Tivoli Storage Manager FastBack (TSM FastBack), but does not have a requirement to use individual item restore of items in any of their Microsoft Exchange servers. Each Microsoft Exchange server has four cores and they will all back up to the same TSM FastBack server. The TSM FastBack server also has four cores. In this configuration, what are the minimum TSM FastBack products required by the customer?

- A. The customer will need a TSM FastBack server, and three TSM FastBack clients.
- B. The customer will only need TSM FastBack for Exchange, and TSM FastBack server.
- C. The customer will need TSM FastBack for Exchange for use on the TSM FastBack server.
- D. The customer will need TSM FastBack for Exchange, and TSM FastBack Disaster Recovery.

Answer: A

Question: 3

What is the last step to be taken for a dissimilar hardware bare machine recovery (BMR)?

- A. erase the FastBack.conf file location in boot drive root directory
- B. reboot the target server after restoring with the BMR Recovery CD
- C. restart the IBM Tivoli Storage Manager FastBack Manager task with the active flag
- D. change the host name from IBM Tivoli Storage Manager FastBack BMR to the source system host name

Answer: B

Question: 4

When performing an e-mail restore using Simple Mail Transfer Protocol (SMTP), why is there a prompt to provide a sender e-mail address?

- A. The restore will fail if the address is not included.
- B. A reference point for the source is always required in order to send the e-mail.

2

- C. The e-mail address for the sender is identified as the source address for any restored e-mail messages.
- D. Some SMTP servers require a valid sender e-mail address to authenticate the user and accept the e-mail.

Answer: D

Question: 5

How can the configuration of the IBM Tivoli Storage Manager FastBack v5.5 client be changed?

- A. Use the IBM Tivoli Storage Manager FastBack v5.5 client console to perform an immediate data replication operation.
- B. Use IBM Tivoli Storage Manager FastBack v5.5 client console to perform a replication operation, then at the command prompt, type the command to start the DR.
- C. Launch the IBM Tivoli Storage Manager FastBack v5.5 client console, click the Configuration tab, and click the Replication tab.
- D. Open a command prompt, type the command to start the DR, and attempt to use FTP to connect to the IBM Tivoli Storage Manager FastBack v5.5 client console.

Answer: C

Question: 6

An IBM Tivoli Storage Manager FastBack v5.5 client is installed on a primary operating system. The client is configured to use the Machine Recovery (MRE) feature. The client fails to connect to the TSM server 192.168.0.55. Now the administrator enters the name of the TSM server in the message box. An error message is returned. The administrator re-enters the name. What is the problem?

- A. The administrator entered the name of the TSM server in the message box prior to the failure of the client to connect to the TSM server.
- B. The administrator entered the name of the TSM server in the message box after the failure of the client to connect to the TSM server.
- C. The administrator entered the name of the TSM server in the message box prior to the failure of the client to connect to the TSM server. The administrator re-enters the name of the TSM server in the message box. The administrator re-enters the name of the TSM server in the message box. The administrator re-enters the name of the TSM server in the message box.
- D. The administrator entered the name of the TSM server in the message box after the failure of the client to connect to the TSM server. The administrator re-enters the name of the TSM server in the message box. The administrator re-enters the name of the TSM server in the message box.

Answer: D

Question: 7

Which information is displayed when right-clicking the snapshot in the Snapshots Monitor display and choosing events for a specific job?

- A. only failed jobs and their status
- B. start times and estimated duration

- C. every event that occurs while the job is in progress
- D. whether any unusual events have occurred while the job is in progress

Answer: D

Question: 8

Which two options

- A. File
- B. Block
- C. Subfile
- D. Mailbox
- E. Message

Choose two.)

Answer: D, E

Question: 9

How is a disk removed from a repository?

- A. A disk cannot be removed from a repository.
- B. Stop TSM FastBack, delete the repository configuration file, and restart TSM FastBack.
- C. Select Remove from the TSM FastBack Manager tool, and stop TSM FastBack.
- D. Select Remove from the TSM FastBack Manager tool, stop TSM FastBack, and delete the repository configuration file.

(Select two TSM FastBack)


1. Stop TSM FastBack
 2. Delete the TSM FastBack configuration file
 3. Restart TSM FastBack
 4. Stop TSM FastBack
 5. Delete the TSM FastBack configuration file
 6. Restart TSM FastBack
 7. Stop TSM FastBack
 8. Select Remove from the TSM FastBack Manager tool, stop TSM FastBack, and restart TSM FastBack

Answer: C

Question: 10

Each snapshot is automatically cancelled when it can be obtained by simply viewing the repository.

- A. Snapshot is cancelled.
- B. Repository out of space condition.
- C. Continuous Data Protection process.
- D. Continuous Data Protection Snapshot has completed successfully.



Answer: D

Question: 11

The IBM Tivoli Storage Manager FastBack Mount is named "TSMFTBSRV" and the mount has been performed on a client. The mount has been opened to share. Which of the following is the correct path for folder " option is correct for share" field?

- A. R:\fb_rep\
- B. \\tsmftbsrv\
- C. \\tsmftbsrv\rep
- D. \\tsmftbsrv\fb_

name is
 needs to be
 SM FastBack Mount
 ed. The "Browse
 remote repository

Answer: D

Question: 12

The IBM Tivoli Storage Manager FastBack Mount has been changed, and now the repository is not accessible. How can you access this repository again?

- A. claim the repository
- B. shut down and restart the mount
- C. create a new repository
- D. go to the Configuration View and select Enable Repository

has been changed,
 cess to this

ory to the new one
 sitory View and

Answer: A

000-014 Demo Exam