



## **000-180**

**(p5 and pSeries Enterprise Technical Support AIX 5L V5.3)**

Total Questions: 35

Last Updated: Feb 26, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-180 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

**For the p5 590 and p5 595 servers, the HMC must be directly attached. Why is the use of a private service network between HMC and the p5 590 required?**

- A. The Bulk Power Controllers are dependent upon the HMC to provide them with DHCP addresses.
- B. A firewall is required to isolate the private network from any of the open networks to which the HMC is attached.
- C. Network communications can be implemented through an open network. No private network is required but it is recommended.
- D. All p5 590 and 595 servers are shipped with one service processor card. A private network is required to manage DHCP addresses.

Answer: A

## Question: 2

**A system administrator wants to control the HMC from their workstation. Microsoft Windows 2000 is running and the HMC graphical user interface is being used remotely. Which of the following actions will accomplish this task?**

- A. Use any Windows 2000 to graphically access the HMC
- B. Load, install, and configure WebSM on the workstation
- C. Telnet to the HMC using Exceed or a GUI emulator product from the workstation
- D. Load, install, and configure OpenSSH or SSH on the workstation and access the HMC through the GUI interface

Answer: B

## Question: 3

**Companycom currently has three p650 servers in their environment and they are implementing a p5 595. The p650 servers are running in an SMP environment, but are connected to a pair of HMCs. In order to follow best practices in the enterprise server environment and maintain HMC connectivity to the p650s, what else will need to be ordered in addition to the p5 595?**

- A. Include a new HMC in the order to connect to the p5 595
- B. Include a pair of new HMCs in the order to connect to the p5 595
- C. Include a media set for POWER5 HMC in the order to upgrade one of the existing HMC's to POWER5 capabilities
- D. Include a media set for POWER5 HMC in the order to upgrade both of the existing HMC to POWER5 capabilities Include a media set for POWER5 HMC in the order to upgrade both of the existing HMC? To POWER5 capabilities

Answer: B

Question: 4

A system administrator pulls the webserver client down, it is not responding from the client. Which of the following could be the cause?

- A. The routes on the client
- B. The firewall settings on the client
- C. The name resolution on the client
- D. The subnet mask on the client

pulling the webserver client down, it is not responding from the client. Which of the following could be the cause?

Answer: B

Question: 5

Companycom has several servers, each with 4 processors. The servers have been crashing, lasting several minutes, between 15-30 times a day. Which of the following is the most likely cause of the crashes?

- A. A shared pool with 4 processors
- B. A shared pool with 16 processors
- C. Four dedicated processors
- D. The server in SM mode

Companycom has several servers, each with 4 processors. The servers have been crashing, lasting several minutes, between 15-30 times a day. Which of the following is the most likely cause of the crashes?

Answer: B

Question: 6

Companycom will be installing a new server. Which of the following is the best configuration for the server?

- A. Enable the server to be a shared pool
- B. Enable the server to be a dedicated processor
- C. Have a separate Virtual IO Server for each processor
- D. Create an etherchannel between two separate Virtual IO Servers

Companycom will be installing a new server. Which of the following is the best configuration for the server?

Answer: A

# 000-180 Demo Exam