



**000-236**

**(AIX 5L Communications)**

Total Questions: 46

Last Updated: Feb 26, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-236 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which of the following commands indicates the available state of a physical adapter?

- A. lscfg
- B. lsdev
- C. netstat
- D. ifconfig

Answer: B

Question: 2

Below is the routing table for host "earth" Destination Gateway Flags interface.  
**127.0.0.1 127.0.0.1 UH 1o0 default 128.66.12.1 UG en0 128.66.3.  
 128.66.12.3 U en0 128.66.4 128.66.12.8 U tr0 128.66.1.1 128.67.12.3 UH s10** If host  
 "EARTH" tries to ping 129.66.1.5, to which of the following interfaces is the packet being  
 sent?

- A. en0
- B. io0
- C. tr0
- D. s10

Answer: A

Question: 3

Which of the following commands indicates the packet count for each interface?

- A. lsattr
- B. Route
- C. Netstat
- D. Ifconfig

Answer: C

Question: 4

Which of the following adapters are located in the same planer?

- I. 00.00.02.08
- II. 01.00.02.08
- III. 00.00.04.01
- IV. 00.05.04.01
- V.

- A. I,II
- B. III,IV
- C. I,II,III

D. I,III,IV

Answer: D

Question: 5

In a TCP/IP network, what protocol does a user issue a ping command?

- A. TCP
- B. UDP
- C. ICMP
- D. SMTP

When a user issues a ping

# 000-236 Demo Exam

Answer: C

Question: 6

All of the following are valid AIX commands EXCEPT:

- A. chdev
- B. odmadd
- C. hostname
- D. simitty hostname

Which of the following is NOT a valid AIX command EXCEPT:

Answer: C

Question: 7

You work as an administrator for a TCP/IP problem on a machine (Company3, at address 129.35.254.22). The other machines on the network output in the exhibit. Which of the following addresses is the correct one to use?

Which of the following is the task of resolving a problem on one machine on another network. The problem is on the same network. The problem is on the same network. The problem is on the same network. Which of the following is the correct one to use?

- A. 129.35.254.22
- B. 129.35.254.23
- C. 129.35.254.24
- D. 129.35.254.25

Answer: A