



**000-267**

**(AS/400 RPG IV Developer)**

Total Questions: 120

Last Updated: Jan 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-267 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

**What is the purpose of the SFLNXTCHG keyword?**

- A. It causes a program to read the next subfile record
- B. It ensures that only modified records will be read from the subfile
- C. It causes a program to treat a subfile record as though it has been changed
- D. It causes a program to update the next subfile record in the SFLCSRRRN list

Answer: C

## Question: 2

**Given the following code segment for PGMB: D Count s 3 0 inz C Eval Count = count + 1 C Count Dsplay C Return The following commands were used to create programs PGMA and PGMB. CRTPGM PGM(PGMA) MODULE (A) ACTGRP (QILE) CRTPGM PGM(PGMB) MODULE (B) ACTGRP (\*NEW) Assume the following: PGMA calls PGMB PGMB returns to PGMA with \*INLR = \*OFF. PGMA later calls PGMB During the second call to PGMB, what value is displayed for the field COUNT?**

- A. 0
- B. 1
- C. 2
- D. 3

Answer: B

## Question: 3

**Given the following code segment: FINPUT IP E DISK INFSR (FSR04) C 22 DIV DIVSOR RESULT 404142 C \*PSSR BREGSR C 'ERROR' DSPLY C ENDSR C FSR04 BREGSR C 'ERROR' DSPLY C ENDSR What is the result of the DIV operation when DIVSOR in file INPUT is equal to zero?**

- A. Indicator 41 is turned on.
- B. Indicator 42 is turned on.
- C. Subroutine \*PSSR is executed.
- D. Subroutine FSR04 is executed.
- E. The field RESULT will be set to zero

Answer: C

Question: 4

Given the following  
 Parm2 3P 0 C If Par  
 Which of the follow

- A. The value pass
- B. The value PARI
- C. The value of PA

m1 3P 0 Const D  
 C EndIF P max E

Answer: B

Question: 5

A job submitted by  
 libraries LIB1 And L

- A. ABMJOB CMD
- B. ABMJOB CMD
- C. ABMJOB CMD
- D. ABMJOB CMD  
 JOB(PGMNAME)

hat includes  
 this task?

LIB2))  
 LIB1 LIB2))  
 CURRENT) CHGJOB

Answer: C

Question: 6

Given the following  
 Save\_Comp S Like (

- A. A 1 position ch

ircraft Co.') D  
 Comp field?

Answer: B

# 000-267 Demo Exam