



000-294

(IBM WebSphere MQ V5.3 System Administration)

Total Questions: 140

Last Updated: Feb 26, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-294 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which of the following installable services is available in WebSphere MQ for UNIX?

- A. Security Service
- B. Name Service
- C. Authorization Service
- D. Directory Service
- E. API Exit Service

Answer: B, C

Question: 2

An application requests address details for a customer and specifies the name of the reply queue. If the reply is not received within ten seconds, the application terminates. The reply queue should only exist while the application is active. Which of the following types of objects **MUST** be defined?

- A. QLOCAL (Q1) DEFPSIST(NO)
- B. QLOCAL (Q1) DEFTYPE(TEMPDYN)
- C. QMODEL (Q1) DEFPSIST(YES)
- D. QMODEL (Q1) DEFTYPE(TEMPDYN)

Answer: D

Question: 3

Program Appl1 running at queue manager QM1 must put a message on queue QNAME1. The Transmit queue has already been defined with a name of QM2 and the final destination of the message is queue QNAME2 at queue manager QM2. Which of the following MQSC commands will create the appropriate definition?

- A. def qr (QNAME1) rqname(QNAME2) rqmname(QM2) xmitq(QM2)
- B. def qr (QNAME1) rqname(QNAME2) rqmname(QM2)
- C. def qr (QNAME1) rname(QNAME2) rqmname(QM2)
- D. def qr (QNAME1) rname(QNAME2) rqmname(QM2) usage(XMITQ)

Answer: C

Question: 4

An existing cluster has two queue managers, LONDON and NEW_YORK. Both LONDON AND NEW_YORK have full repositories. A queue manager, PARIS, is being added to the cluster. It needs to send messages to the INVENTQ queue hosted by queue manager NEW_YORK and to the PAYROLL queue hosted by queue manager LONDON. Network connectivity exists between all three

2

locations. How many definitions are required to add queue manager PARIS to the cluster?

- A. 2
- B. 4
- C. 6
- D. It varies based on

Answer: A

Question: 5

One way to improve channel performance is to commit messages. Which parameters should be set to improve performance?

- A. DISCINT
- B. SEQWRAP
- C. MAXMSGL
- D. BATCHSZ
- E. BATCHINT

Number of times a message is committed to a queue. Which parameter should be set to make this

Answer: D, E

Question: 6

Which of the following message types are supported by WebSphere MQ?

- A. AMQ
- B. CSQ
- C. OMQ
- D. MSQ

WebSphere MQ

Answer: A

000-294 Demo Exam