



000-365

(i5 iSeries LPAR Technical Solutions V5R3)

Total Questions: 132

Last Updated: Feb 26, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-365 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Company.com has three AS/400 systems: a Model 720, a Model 270, and a Model 170, all are on V5R3. They want to consolidate all the servers into an eServer i5 520 with three partitions. The basic configurations include:

A Model 720 with:

- .1 FC #2722 twinax
- .2 FC #2745 two-line communications
- .1 FC #2838 Ethernet

A Model 270 with:

- .1 FC #4746 Twinax card
- A Model 170 with:
- .1 FC #2721 Twinax / communications card
 - .FC #2838 Ethernet
 - . FC #2850 IXS

Which of the following is a list of communications and LAN features that can be migrated to the new i5 520?

- A. FC #2722, #2745, #4746
- B. FC #2745, #2838, #4746
- C. FC #2722, #2745, #2838, #4746
- D. FC #2745, #2838, #4746, #2850

Answer: B

Question: 2

Company.com has an eServer i5 520 with a #0595 running with a total of 8 drives in disk bay slots 1-4 and 7-10. The system is being partitioned and the disk drives in the #0595 are being set up for the new partition. After IPLing the partition from CD, the Install Licensed Code option fails with a message that "No valid load source disk is available." Stand-alone DST shows the disk IOA and drives. Which of the following is the most likely cause of the problem?

- A. The disk IOA must be in a slot adjacent to the IOP.
- B. Use the HMC to set the SCSI address for the load source drive.
- C. The disk drives must be in consecutive disk bays starting with bay 1.
- D. One of the disk bays must have the connector cable moved to IOA port 0.

Answer: D

Question: 3

Company.com wants to move memory from an OS/400 partition to a Linux partition each night. Which of the following procedures will accomplish this task?

- A. Use SST to move the memory features to the Linux partition.
- B. Use Advanced Job Scheduler to schedule the dynamic memory move.

2

- C. Shut down the Linux partition, move the memory and reboot the Linux partition.
- D. Use Management Central - Scheduled Tasks to schedule the move between the endpoint partitions.

Answer: C

Question: 4

An iSeries has three secondary is at V4R5. A failure occurs when installing a new drive. Which of the following is the cause of the failure?

- A. The DVD-RAM controller is not supported.
- B. The DVD-RAM is not supported.
- C. The tape drive is not supported.
- D. The V4R5 media is not supported.

5R1, the other drive. A failure occurs when installing a new drive. Which of the following is the cause of the failure?

controller.
 and from the primary

Answer: B

Question: 5

Company.com is planning to migrate its LPAR system with one tape drive to another iSeries. The following are also listed:

- . i820 with 3590-E11
 - . iSeries 170 with 720
- The i5 LPAR system has an i5/OS partition should be able to perform file operations. The AIX and Linux partitions should be minimized. How many tape drives are required in the i5 system?

single eServer i5 tape drives are

3 tape drive

ments are: . Any (LTO, 8mm); .the partitions should be tape I/O adapters required in the

- B.
- C. 5
- D. 6

Answer: B

000-365 Demo Exam