



000-514

(DB2 UDB V7.1 Family Application Development)

Total Questions: 116

Last Updated: Sep 26, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-514 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Given the table called NAME with the following column and data: Iname
 Smith SMITH SmiTh smith Which two of the following SQL statements will return all four rows in upper case?

- A. SELECT CAPS(Iname) FROM name
- B. SELECT UCASE(Iname) FROM name
- C. SELECT STRUPR(Iname) FROM name
- D. SELECT TOUPPER(Iname) FROM name
- E. SELECT TRANSLATE(Iname) FROM name

Answer: B, E

Question: 2

Given the table: COUNTRY id name person cities 1 Argentina 1 ----- nd the code: EXEC SQL DECLARE C1 CURSOR FOR SELECT id,name FROM country; EXEC SQL OPEN C1; EXEC SQL FETCH C1 INTO :id, :name; EXEC SQL FETCH C1 INTO :id, :name; Which of the following SQLCODE/SQLSTATES will be contained in the SQLCA after the last fetch?

- A. SQLCODE 0, SQLSTATE 00000
- B. SQLCODE 100, SQLSTATE 02000
- C. SQLCODE -100, SQLSTATE 00100
- D. SQLCODE -501, SQLSTATE 24501
- E. SQLCODE -1224, SQLSTATE 55032

Answer: B

Question: 3

Which two of the following Embedded SQL statements contain host variables?

- A. DECLARE C1 CURSOR WITH HOLD FOR S1
- B. CONNECT TO sample USER :userid USING :passwd
- C. SELECT TABSCHEMA, TABNAME FROM SYSCAT.TABLES WHERE TABNAME=?
- D. DECLARE C1 CURSOR FOR SELECT DEPT FROM STAFF WHERE JOB='Mgr'
- E. DECLARE C1 CURSOR FOR SELECT * FROM EMPLOYEE WHERE LASTNAME=?
- F. SELECT WORKDEPT INTO :wd:wdind FROM EMPLOYEE WHERE LASTNAME = 'SMITH'

Answer: B, F

Question: 4

Given the following CLI Code: SQLHANDLE henv, hdbc, hstmt1, hstmt2 ;
 hstmt1=NULL; hstmt2=NULL; SQLAllocHandle(SQL_HANDLE_ENV,
 SQL_NULL_HANDLE, &henv) ; SQLAllocHandle(SQL_HANDLE_DBC, henv,
 hdbc); SQLConnect(* hdbc, "SAMPLE", SQL_NTS, "DB2CERT", SQL_NTS,
 "DB2CERT", SQL_NTS); SQLAllocHandle(SQL_HANDLE_STMT, hdbc, &hstmt1



); Assuming all of the above calls return SQL_SUCCESS, which of the following return codes would be expected from the following function call made immediately after the above? SQLExecDirect(hstmt2, "SELECT * FROM SYSIBM.SYSTABLES", SQL_NTS);

- A. SQL_ERROR
- B. SQL_SUCCESS
- C. SQL_INVALID_HANDLE
- D. SQL_SUCCESS_WITH_INFO

Answer: C

Question: 5

Which two of the following are valid applications?

- A. ResultSetMetaData
- B. DefaultContext
- C. CallableStatement
- D. ResultSet rs=stmt.executeQuery();
- E. #sql public iterator

Applications?

Answer: B, E

Question: 6

The following command is used to create a user: CREATE ALIAS user1 FOR SAMPLE.ORG SAMPLE. The user user1 issues the following command: SELECT * FROM sample For which of the following is the user user1 not authorized?

- A. org.sample
- B. sample.org
- C. userid.org
- D. sample.sample

USERID.ORG: SAMPLE.ORG(1) CREATE SAMPLE.ORG The user user1 issues the following command: SELECT * FROM sample For which of the following is the user user1 not authorized?

Answer: D

000-514 Demo Exam