



000-745

(Storage Networking Solutions Version 2)

Total Questions: 134

Last Updated: Feb 26, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-745 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which of the following protocols is included free of charge in the IBM N5200?

- A. CIFS
- B. NFS
- C. iSCSI
- D. FCP

Answer: C

Question: 2

A customer currently has DS4000 subsystems installed with 5TB capacity available and wants to provide 5TB of storage to attach 50 Windows servers via SCSI connections. Which of the following solutions would provide iSCSI connectivity and high performance at the lowest cost?

- A. IBM D5300 Subsystem
- B. IBM N3700
- C. IBM N5200 Gateway attached to DS4000
- D. IBM N7600 Gateway attached to DS4000

Answer: C

Question: 3

A customer is preparing to install a Cisco Storage Director MDS 9509 in their data center. The 9509 will be installed in an existing IBM 2102 rack with SAN32B switches. The rack is installed adjacent to an IBM System p rack. Which of the following reasons explains why this would not be an optimal installation?

- A. The 9509 is too heavy for the 2102.
- B. The 2102 does not have the correct PDUs to support the 9509.
- C. The 9509 has side-to-side airflow.
- D. The 9509 requires telco support rails.

Answer: C

Question: 4

Two companies have merged and are making changes to adopt the IT and SAN standards of one of the companies. The new architecture must address flexibility, high availability, and scalability. In order to make the fabric consolidation and merge process least disruptive, which of the following factors should be evaluated?

- A. The total number of domains, and storage ports
- B. The number of users, and the types of servers and operating systems

2

- C. Zoning on one fabric, security, network interfaces and management software
- D. Domain IDs, zoning, compatibility, IP addresses, and fabric security

Answer: D

Question: 5

A customer has an I and traditional volumes. According to the storage drives that would be needed for system c

- A. 1
- B. 2
- C. 3
- D. 4

and traditional drives that would be

000-745 Demo Exam

Answer: C

Question: 6

A customer has a SA the storage is contro the customer has notice discovery stage. In c be to:

- A. Reduce the num
- B. Implement fabr
- C. Increase the nu
- D. Increase the fak

00. Host access to utility. The during the fabric t approach would

Answer: B