



000-857

(Windows Integration for iSeries Technical Solutions V5R3)

Total Questions: 76

Last Updated: May 31, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-857 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

A customer with an i810 server has an IXS installed. The Windows administrator needs to be notified of errors. Which of the following can provide this functionality?

- A - Create an iSeries NetServer file share against the Windows event logs.
- B - Write an program to monitor the errors in the /QIBM/ProdData/NTAP/logs directory.
- C - Set up an iSeries Navigator Management Central monitor for the Windows event logs.
- D - Configure the Windows event log to be mirrored to an iSeries message queue and monitor this queue.

Answer: D

Question: 2

An IXA-attached xSeries with two LAN cards is configured on two different networks. Client workstations from one network lose connection to the xSeries, and the network administrator suspects the xSeries hardware. How can it be determined whether the xSeries hardware is functioning properly?

- A - Check the light path diagnostic LED's on the xSeries server.
- B - Use the iSeries work problem menus to run diagnostics over the hardware path.
- C - Look in the QVNAVARY job log for error messages relating to the *NWSD hardware.
- D - Use Hardware Service Manager in Service Tools to determine if the xSeries Ethernet adapter is operational.

Answer: A

Question: 3

An iSeries customer with IXS cards installed in systems at three remote locations has just completed installation of the current Cumulative fix package. A Windows integration code Service Pack is included in this package. Which of the following methods will allow the administrator to install the Windows integration code Service Pack on the remote IXS servers in the least amount of time?

- A - On each system use 'GO PTF option 8' to apply the appropriate PTFs to product 5722WSV
- B - Contact each site and have the local administrator run 'Start/Programs/IBM iSeries/Integration for Windows servers'
- C - Use the Management Central task scheduler to submit a remote command 'D: 'AS400NT\MASTER\SETUP.EXE' to each of the IXS servers
- D - Using iSeries Navigator open 'Network/Windows Administration/Integrated xSeries Servers' and select 'Server Integration Software/Install Latest Service Pack' for each of the systems with IXS installed

Answer: D

Question: 4

Domain user enrollment
Which of the following

- A - The QVNAVARD
- B - The NetServer
- C - The User Admi
- D - The QAS400NT

working previously.

Answer: C

Question: 5

A customer has an i
x236 server to their
hardware will they r

- A - 1 HSL cable and
- B - 1 HSL cable, 1 S
- C - 2 HSL cables an
- D - 2 HSL cables, 2

an IXA-attached
 IXA card, what

Answer: B

Question: 6

A customer has four
can this application

- A - Use the INSLN
- B - Create an iSeries

implement. How
 nt?

server.
 on on the iSeries

- D - The
- programs t

Answer: A

000-857 Demo Exam