



**000-867**

**(i5 iSeries Technical Solutions Implementer V5R3)**

Total Questions: 40

Last Updated: Feb 26, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-867 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

**Company.com is planning to migrate their existing Linux applications currently running on an intel server to an eServer i5 520. What needs to be done before the Linux applications will run on the PowerPC technology?**

- A. Linux ODBC driver must be installed before applications can be accessed on the 520 system
- B. Compile the applications using a cross-compiler that runs on an Intel system for PowerPC platforms.
- C. Intel Linux applications need to be re-compiled to run on PowerPc
- D. Install the PASE feature in the hosting i5 /OS partition

Answer: C

## Question: 2

**A user is signed on to an HMC with a profile that has "hmcoperator" privileges. They are formatting a DV for use as a "Backup Cartridge", and the HMC reports a DVD error. Which of the following is the best course of action to correct the problem?**

- A. Ensure the DVDD media is a DVD-RAM
- B. Ensure the user profile has "hmcserVICerep" privileges to format the DVD cartridge
- C. Ensure the DVD media is a DVD+RW
- D. Ensure the user profile has "savrst" privileges to format the DVD cartridge

Answer: A

## Question: 3

**During a disaster recovery test, the users report that pending application transactions stored in Data Queues did not complete once the system was reloaded and restarted. Which of the following is the cause of the problem?**

- A. Allow object difference \*ALL was not specified on the restore command
- B. The contents of data queues are not saved by standard OS/400 save commands
- C. The profile used to restore the system did not have authority to the RSTDTAQE command
- D. The SAVQENT parameter was not specified as \*DTAQ or \*ALL on the original save command

Answer: B

## Question: 4

**After performing a side-by-side system upgrade, both the old and new systems are on the network at the same time. The customer experiences periodic failures while attempting TCP/IP communications with the two systems. Which of the following may be contributing to these failures?**

- A. The default rout on the new iSeries server is incorrect

2

- B. The subnet mask values for the TCP/IP interfaces on the two systems do not match.
- C. The Local Adapter Address parameter in the Line description is the same on both system.
- D. Both systems do not have the same value for Network Attributes (CHGNETA) parameter LCNETID.

Answer: C

Question: 5

An eServer i5 520 connected to two IXA attached xSeries towers, and two recommended placement for the u

- A. 520 -> IXA -> FC
- B. 520 -> IXA -> FC
- C. 520 -> FC #5095
- D. 520 -> FC #5095

towers, and two  
 ommended

Answer: C

Question: 6

A model 830 running partition on an eSer migration" procedure successfully comple

- A. Th V5R2 release save for the migra
- B. After the base i must be created to
- C. On the i5 partiti and QUSRSYS from
- D. The V5R2 releas 830 prior to the fu

stall, i5/OS  
 us release  
 required step to

forming the full system  
 3 distribution media  
 base OS/400, QGPL  
 e been run on the

. B

# 000-867 Demo Exam