



000-938

(IBM Tivoli Netcool Impact V4.0 Implementation)

Total Questions: 130

Last Updated: Apr 07, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-938 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which statement is true about IBM Tivoli Netcool Impact?

- A. A data source needs to be defined for any policy to run.
- B. A Jabber server should be set up in order to run IBM Tivoli Netcool Impact policies.
- C. An e-mail server should be set up in order to run IBM Tivoli Netcool Impact policies.
- D. An ObjectServer data source needs to be defined for policies to update ObjectServer events directly.

Answer: D

Question: 2

For what is the nclshutdown script used?

- A. To shut down the GUI server, impact, and JRExec server processes
- B. To stop event processing and policy execution in the IBM Tivoli Netcool Impact server
- C. To shut down the IBM Tivoli Netcool Impact server independently from the application server
- D. To gracefully shut down the PostgreSQL database and the IBM Tivoli Netcool Impact server

Answer: C

Question: 3

Click the Exhibit button. Which IBM Tivoli Netcool Impact function(s) is used for step 3 in the policy, based on this pseudocode?**Exhibit - Sample Pseudo-Code of an Impact Policy**

1. Get the customer record from customer database using customer column from the event
2. Populate the SLA column in the event from the customer record
3. Interrogate the reporter database to count the number for major and critical events for this customer during the last days
4. If there are more than 3 events, set the severity of the event to major
5. If there are more than 5 events, set the severity of the event to critical
6. Return the event to the ObjectServer with the updated columns

- A. GetByKey
- B. GetByRlter
- C. GetByFilter with CountOnly = TRUE
- D. GetByFilter then the Length function to count the number of items returned in the array

2

Answer: D

Question: 4

A customer has a re updated events, and configured to meet

- A. Add a field to th
- B. Include a functi
- C. Add time stamp
- FirstOccurrence
- D. Select the Get u
- Configuration win

only act upon
Netcool Impact be

igger policies
of the event is U
e value to
Event Reader

Answer: C

Question: 5

A customer has a po requires four param does not call the JRE

- A. Define the num
- B. Configure the e
- C. Configure the JF
- D. Configure the p

al script. The script
sure the policy

ters
ers
of parameters

Answer: D

000-938 Demo Exam