



000-972

(ILE RPG Programmer)

Total Questions: 70

Last Updated: Jun 10, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-972 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which of the following operation codes is supported in both fixed form and /Free form?

- A. CALL
- B. EVALR
- C. ALLOC
- D. EXTRCT

Answer: B

Question: 2

Which of the following SQL statements, when used by itself in an RPG program, can take the place of a File Specification, a key and a CHAIN?

- A. FETCH
- B. SELECT INTO
- C. DECLARE CURSOR
- D. PREPARE STATEMENT

Answer: B

Question: 3

Given the following code sample, what value is displayed?

```
D MyDS DS D FieldA 5A Inz('XXXXX') /free FieldA = 'VWXYZ'; Reset FieldA; Dsply ('FieldA='  
+ FieldA); *INLR = *On; BegSR *InzSR; FieldA = 'ABCDE'; EndSR;
```

- A. FieldA=
- B. FieldA=VWXYZ
- C. FieldA=ABCDE
- D. FieldA=XXXXX

Answer: C

Question: 4

Which of the following is an advantage gained by using a prototype and CALLP for a program call in place of CALL and PARM operations?

- A. Ability to qualify the name of the program being called
- B. Ability to have the compiler validate the parameters being passed
- C. Ability to use a variable to contain the name of the program to be called
- D. Ability to statically bind a program object to its caller for better performance

Answer: B

Question: 5

What is the purpose of the XML_START_ELEMENT keyword?

- A. Aids in parsing XML
- B. Indicates the type of element
- C. Aids in interpreting the element
- D. Indicates to the parser that the element is a start element

NT

000-972 Demo Exam

Answer: C

Question: 6

Given the following code:
DName+++++ d
CustPrice pr 9 3 d Co
0 options(*nopass) o
MyQty s 7 0
Which of the following is the correct calculation for MyPrice?

- A. MyPrice = CustPrice * MyQty
- B. MyPrice = CustPrice / MyQty
- C. MyPrice = CustPrice + MyQty
- D. MyPrice = CustPrice - MyQty

+++++ d
omit) d Quantity 7
MyContract s 10 d

Answer: A

Question: 7

Given the following code:
CALL 'NOTLATE' C

- A. call NotLate(C)
- B. callb NotLate(C)
- C. callp NotLate(C)
- D. C CALL 'NOTLATE' C

ARM RequestType

Answer: C