



000-993

(IBM WebSphere InterChange Server V4.3 and Toolset, Deployment)

Total Questions: 118

Last Updated: Feb 26, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-993 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

A collaboration object requires a port type that is external to the collaboration when that port is bound to which of the following?

- A. An adapter agent that is running on another machine.
- B. A web client running on a different machine as the WebSphere InterChange Server.
- C. A collaboration running in a different WebSphere InterChange Server on the same machine.
- D. A collaboration running in a different WebSphere InterChange Server on a different machine.

Answer: B

Question: 2

The WebSphere InterChange Server fails to start and gives the following error: "Error 11135:Activation of collaboration <collaboration_name> group could cause a potential deadlock with one or more existing collaboration groups, and is therefore disallowed" Which of the following actions will allow the WebSphere Business Integration administrator to restart the WebSphere InterChange Server so that the administrator can resolve the problem?

- A. Clear the WIP tables and restart the server.
- B. Shut Down the collaboration which will clear the deadlocks.
- C. Add a line DEADLOCK_DETECTOR_CHECK=false to the COLLABORATION section in the WebSphere InterChange Server configuration file and restart the server.
- D. Add a line DEADLOCK_RESOLVER=true to the SERVER section in the WebSphere InterChange Server configuration file and restart the server.

Answer: C

Question: 3

The purpose of Event Sequencing within the WebSphere InterChange Server architecture is to ensure that:

- A. Events involving the same data entity in an application are processed by the WebSphere InterChange Server in the order in which they occurred in the application.
- B. The same event is not processed concurrently by two Collaborations in the WebSphere InterChange Server.
- C. All events in an application are processed by a Connector Controller in the WebSphere InterChange Server in the order in which they occurred in the application.
- D. All events in an application are processed by a collaboration in the WebSphere InterChange Server in the order in which they occurred in the application.

Answer: A

Question: 4

A collaboration service process states that it will be invoked through port B to verify that the data can be instantiated. What is the BEST type of service call to use?

- A. Asynchronous with a timeout value of 48 hours
- B. Synchronous with a timeout value of 48 hours
- C. Synchronous with a timeout value of 24 hours
- D. Synchronous with a timeout value of 48 hours

Answer: A. The business process is invoked through port B to application Y. The verification process must be completed in less than 48 hours.

- A. Asynchronous with a timeout value of 48 hours
- B. Synchronous with a timeout value of 48 hours
- C. Asynchronous with a timeout value of 24 hours
- D. Synchronous with a timeout value of 48 hours

Answer: B

Question: 5

During collaboration, a `ServiceCallException` is thrown. What is the root cause of the exception?

- A. Wrap a try-catch block around the service call.
- B. Use the `ExceptionHandler` to handle the failure.
- C. Place the following code around the service call: if (`currentException.isInstanceOf(ServiceCallException.class)`)
- D. Place the following code around the service call: if (`currentException.isInstanceOf(ServiceCallException.class)`)

Answer: B. The root cause of the exception is a `ServiceCallException`.

- A. Wrap a try-catch block around the service call.
- B. Use the `ExceptionHandler` to handle the failure.
- C. Place the following code around the service call: if (`currentException.isInstanceOf(ServiceCallException.class)`)
- D. Place the following code around the service call: if (`currentException.isInstanceOf(ServiceCallException.class)`)

Answer: D

000-993 Demo Exam