



000-996

(IBM WebSphere MQ v6.0 Solution Design)

Total Questions: 49

Last Updated: Apr 06, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 000-996 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

An application publishes documents in PDF format as WebSphere MQ RFH2 messages to a wide range of recipient platforms. Which of the following is critical to ensure the documents are processed correctly?

- A - The National Language support on the recipient systems must match the code page with which the PDF document was created.
- B - The message format in the MQMD must be specified as MQFMT_NONE.
- C - The PDF document size must not exceed 4MB.
- D - This is only supported on Windows platforms.

Answer: B

Question: 2

An organization will use WebSphere MQ to connect its central z/OS systems to its 20 branch offices. Each of the 20 offices runs applications on an AIX platform. The z/OS system supports two z/OS LPARs. One is for production and the other is for both development and testing. Separate AIX machines are available for production and testing and development. There will be individual queue managers supporting production, testing and development. Which of the following naming standards is MOST appropriate?

- A - Channel names will be <sending-qmgr-name>.to.<receiving-qmgr-name>.
- B - z/OS queue manager names will be MQQX where x= P, T, or D for the Production, Testing, and Development environments.
- C - AIX queue manager names will be AMQx where x= P, T, or D for the Production, Testing, and Development environments.
- D - Applications will query a z/OS DB2 table for the name of the correct queue manager to use.

Answer: A

Question: 3

Which of the following message standards is MOST appropriate for an enterprise that needs to tag each application message with a 48 byte identifier?

- A - Use the CorrelId field in the MQMD.
- B - Use the Reply To Q field from the MQMD.
- C - Use the CorrelId field in the transmission queue header (MQXQH).
- D - Use a customer specified message header to precede application data.

Answer: D

Question: 4

A large enterprise has a diverse range of applications across its business. Some execute in an environment that can exchange messages with its business partners. MOST important consideration is:

- A - Data conversion
- B - The format for messages
- C - All messages must be in XML
- D - All messages must be in JSON

A large enterprise has a diverse range of applications across its business. Some execute in an environment that can exchange messages with its business partners. MOST important consideration is:

- A - Data conversion
- B - The format for messages
- C - All messages must be in XML
- D - All messages must be in JSON

Answer: A

Question: 5

The WebSphere MQ client is free, but this is offset by the cost of the MQ client. Which of the following is NOT a consideration when deciding whether to deploy the MQ client?

- A - Clients cannot be installed on a server
- B - In the event of a network outage, data is not actually performed
- C - Data cannot be transferred during network outages
- D - Transactional processing is not supported

The WebSphere MQ client is free, but this is offset by the cost of the MQ client. Which of the following is NOT a consideration when deciding whether to deploy the MQ client?

- A - Clients cannot be installed on a server
- B - In the event of a network outage, data is not actually performed
- C - Data cannot be transferred during network outages
- D - Transactional processing is not supported

Answer: D

000-996 Demo Exam