



190-753

(Using JavaScript in IBM Lotus Domino 7 Applications)

Total Questions: 90

Last Updated: Jan 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 190-753 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Look at the following JavaScript function:

function clickButton

```
{ document.forms[0].submitMe.onClick() }
```

Which one of the following will this function do?

- A - Run a global JavaScript function named onClick ().
- B - Run the onClick event of an object named submit Me.
- C - Place the cursor in an input on the form named submit Me.
- D - Run a JavaScript function named onClick () that is on a form object named submit Me.

Answer: B

Question: 2

The following code will produce a run-time error:

```
{ //Line 1 path=location.pathname.toLowerCase(); // Line 2  
  nsfPos=path.indexOf(".nsf"); // Line 3 path=path.substring(0, nsfpos+5); // Line 4  
}
```

Which one of the lines is incorrect?

- A - Line 1
- B - Line 2
- C - Line 3
- D - Line 4

Answer: D

Question: 3

Ann created the following code segment

```
function checksubject() { if(window.document.forms[0].Subject.value=="") { alert("Please  
enter a subject."); window, document .forms[0] Subject.focus() } else {  
window.document.forms[0].submit() } }
```

Which one of the following could Ann place between the function name and the if statement to prevent the need to type window.document.forms[0] each time it is needed?

- A - function checksubject()
 { (this) { if(Subject .value=="")
- B - function checksubject() { with(this) { if(Subject.value=")
- C - function checksubject() { (window.document.forms[o]
 { if(Subject.value=")
- D - function checksubject() {
 With(window.document.forms[0]) { If(Subject.value=="")

2

Answer: D

Question: 4

Marie is getting an error message when she clicks a button on a Notes form. The error message says: "totalAttempts[0] = undefined". How can she add error handling to the button's onClick event?

- A - if(isError(totalAttempts[0])) { ... }
- B - try { totalAttempts[0]; } catch (e) { ... }
- C - errorHandler(totalAttempts[0]);
- D - onError GoTo totalAttempts[0];

attached to a

ed"); }
("totalAttempts not
t ("totalAttempts not

Answer: B

Question: 5

Inga wants to determine the user's browser. Which object can she use to get that information?

- A - window.version
- B - navigator.appVersion
- C - navigator.userAgent
- D - You cannot determine the browser.

client or a Web
r that information?

Answer: B

Question: 6

Which JavaScript location object property can be used to determine if you were

er or not you were

- A - location.protocol
- B - location.protocol
- C - location.protocol
- D - location.protocol

Answer: D

190-753 Demo Exam