



## **1Z0-048**

**(Oracle Database 10g R2: Administering RAC)**

Total Questions: 122

Last Updated: Jan 01, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 1Z0-048 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

Which optional parameter of the DESCRIPTION clause of a TNS entry can you use to randomize the access to available listeners?

- A. FAILOVER
- B. LOAD\_BALANCE
- C. SOURCE\_ROUTE
- D. TYPE\_OF\_SERVICE

Answer: B

## Question: 2

You are working as a DBA in a RAC environment that is available for testing. The RAC environment has all the database files stored in the OCFS file system. You plan to install ASM and move all the database files to ASM to achieve better performance. During the installation, you selected redundancy level as normal for the disk group being added. What is the reason for selecting this redundancy level?

- A. You want to use hardware mirroring.
- B. You do not want to have any mirroring in the disk group.
- C. You have two failure groups defined, so you want to use two-way mirroring.
- D. You have three failure groups defined, so you want to use three-way mirroring.

Answer: C

## Question: 3

You are running a two-instance database with six redo log groups defined and decide to add a third thread to support a third database instance on the third node of the cluster. Which three commands would you issue to achieve this using command line administration? (Choose three.)

- A. ALTER SYSTEM ENABLE THREAD 3;
- B. ALTER DATABASE ENABLE THREAD 3;
- C. ALTER SYSTEM ADD LOGFILE THREAD 3 GROUP 8;
- D. ALTER SYSTEM ADD LOGFILE THREAD 3 GROUP 7;
- E. ALTER DATABASE ADD LOGFILE THREAD 3 GROUP 7;
- F. ALTER DATABASE ADD LOGFILE THREAD 3 GROUP 8;

Answer: B, E, F

Question: 4

Which initialization parameter would you use for each RAC instance to make sure that each listener on each node can connect to the instance?

- A. LOCAL\_LISTENER
- B. REMOTE\_LISTENER
- C. REMOTE\_DEPENDENT\_RESOURCES
- D. PREFER\_LEAST\_LIBRARY\_CACHE\_SIZE

Answer: B

Question: 5

You have a well-tuned RAC environment with several services, all of which perform periodic backup and recovery tasks every two weeks and all file system operations are performed on a shared file system. After a planned maintenance window migration, you want to ensure that no data loss or corruption has not occurred or performance degradation has not occurred. How would you determine whether the migration was successful? (Choose six.)

- A. Interconnect latency
- B. Instance recovery time
- C. Services with application errors
- D. Services with application errors
- E. Services with application errors
- F. Services with query errors
- G. Services with index errors
- H. Services with application errors on modestly sized tables
- I. Services with instance errors on sequences

After a planned maintenance window migration, you want to ensure that no data loss or corruption has not occurred or performance degradation has not occurred. How would you determine whether the migration was successful? (Choose six.)

- A. Index keys
- B. Services with application errors on modestly sized tables
- C. Services with application errors on modestly sized tables
- D. Services with application errors on modestly sized tables
- E. Services with application errors on modestly sized tables
- F. Services with application errors on modestly sized tables
- G. Services with application errors on modestly sized tables
- H. Services with application errors on modestly sized tables
- I. Services with application errors on modestly sized tables

Answer: A B D E G I

Question: 6

After a power outage, you find that one of the RAC instances did not start automatically, whereas the other instances started normally. How would you determine the precise cause of the problem? (Choose three.)

- A. Check the resource state by using the `crsctl check resource -t` command.
- B. Check for OCR corruptions by using the `ocrcheck` command.
- C. Check the alert.log file that belongs to the instance that did not start.
- D. Check the alert.log file that belongs to the Oracle Clusterware software.
- E. Check if the Oracle Clusterware is functional by using the `CRSCTL` command.
- F. Reboot the node where the failing instance resides to check if the problem is persistent.

G. Enable extra debugging in the Oracle Clusterware software by using the CRSCTL command.

Answer: A, C, D

Question: 7

Which displays the workload has been executed three times on the cluster.



What are the two workloads that were better tuned during the test?

A. There is less network traffic.

D. The database is running on the same host.

E. The database is running on the same node.

Application was

recognition.

Answer: C, D

Question: 8

Which three storage types are suitable as a standby recovery area for an Oracle 10g RAC database? (Choose three.)

- A. Raw volume
- B. ASM disk group

- C. Local file system
- D. Cluster file system
- E. Shared NFS directory

Answer: B, D, E

Question: 9

**After the cluster database is installed, which tasks should be completed?**

- A. Create the ASM diskgroup
- B. Back up the root database
- C. Initialize the cluster
- D. Set up additional nodes
- E. Verify the Enterprise Edition license

Installation tasks

Running srvctl config

Answer: B, D, E

Question: 10

**Oracle Cluster Registration (OCR) is performed using which two commands? (Choose two)**

- A. ocrconfig -impopcr -auto
- B. ocrconfig -impopcr -auto
- C. cp /app/oracle/ocr/ocr\_exp1.ocr /ocfs/OCR/crs.dbf
- D. ocrconfig -restore -auto

Which two

can automatically

ocr\_exp is a logical

/crs.dbf where

y.ocr where day.ocr

# 1Z0-048 Demo Exam