



1Z0-108

(Oracle Web Logic Server 10g System Administration)

Total Questions: 51

Last Updated: May 28, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 1Z0-108 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback


If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Click on the Exhibit button. Consider a WebLogic Server 10.x domain with four managed servers. Two managed servers "S1" and "S2" are part of cluster "A" and the other two ("S3" and "S4") are part of cluster "B." Server "S1" is hosting a JMS Server "JMS-server1" (deployed to a migratable target configured for JMS-related services) with four queues and two topics for the application "App" deployed to both the clusters. For some reason, the machine hosting the server "S1" crashed. The JMS Server "JMS-server1" needs to be reactivated for message production and consumption by the application and also the messages on the server "S1" need to be recovered. Which of the following must be done to reactivate the



- A. Migrate the JMS Service from "S1" to "S2".
- B. Migrate the JTA Service from "S1" to "S3".
- C. Migrate the JMS Service from "S1" to "S3".
- D. Migrate both the JMS Service and JTA Service from "S1" to "S3".

Answer: A

Question: 2

Requirement demands that the user has to have a higher priority compared to other users. Which one of the following applications can be used to associate a priority to the user?

- A. Use Work Manager to associate a priority to the user.
- B. Use Work Manager to associate a priority to the user.
- C. Use Work Manager to associate a priority to the user.
- D. Use Work Manager to associate a priority to the user.

Requirement demands that the user has to have a higher priority compared to other users. Which one of the following applications can be used to associate a priority to the user?

Answer: D

Question: 3

Scenario : While you are configuring a new application you have a requirement that the application should be scalable and highly available. This application will use a different certificate for each of the different DNS names. Even though you want to avoid buffer attacks from other applications:

- A. Change the "Stack" parameter to "SSLv3".
- B. Configure "MaxSession" to 100.
- C. Configure virtual server to use "SSLv3".
- D. Enable the "Turbo" parameter.

While you are configuring a new application you have a requirement that the application should be scalable and highly available. This application will use a different certificate for each of the different DNS names. Even though you want to avoid buffer attacks from other applications:


Which of the following options is correct?

Question: 4

Click on the Exhibit tab to view the exhibit. Two geographically separated clusters are created. It will provide cross-cluster WAN HTTP sessions. The WAN-1 cluster is located in London and the WAN-2 cluster is located in New York. The clusters are connected via a slow interconnect. The client request passes through a Global load balancer which load balances the request to local load balancers which eventually pass the load to WebLogic Server instances in the cluster. Four WebLogic Server instances will be running on each cluster distributed on two physical machines, two WebLogic instances per physical machine. A database is configured on each cluster for

3

HTTP Session state failover between the clusters. What happens if all the servers hosted in the London



Answer: B

Question: 5

What is used to control the monitors in a diagnostic module?

- A. Queuing
- B. Throttling
- C. Dyes
- D. Instrumentation

the monitors in a

Answer: B

Question: 6

A single application can run in multiple environments with the following would help in multiple environments?

- A. Multiple J2EE deployment
- B. Multiple WebLogic domains
- C. Multiple deployment environments
- D. Administration console

ic server
Which one of the following would help in multiple environments?

Answer: C

1Z0-108 Demo Exam