



**1Z0-146**

(Oracle Database 11g: Advanced PL/SQL)

Document version: 9.30.06

## Important Note, Please Read Carefully

techeXams' 1Z0-146 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

### Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [customer.service@techeXams.ws](mailto:customer.service@techeXams.ws)

### Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact [customer.service@techeXams.ws](mailto:customer.service@techeXams.ws).

### Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

## Question: 1

Which two types of metadata can be retrieved by using the various procedures in the DBMS\_METADATA PL/SQL package? (Choose two.)

- A. report of invalidated objects in a schema
- B. report of statistics of an object in the database
- C. DDL for all object grants on a table in the database
- D. data definition language (DDL) for all objects in a schema

Answer: C, D

## Question: 2

The database instance was recently started up. Examine the following parameter settings for the database instance: NAME TYPE VALUE

..... result\_cache\_max\_result integer 5 result\_cache\_max\_size big integer 0  
result\_cache\_mode string MANUAL result\_cache\_remote\_expiration integer 0 ..... You reset the value for the result\_cache\_max\_size parameter by issuing the following command: SQL> ALTER SYSTEM SET result\_cache\_max\_size = 1056k SCOPE = BOTH; System altered. Which statement is true in this scenario?

- A. 1056 KB is allocated for the result cache and the result cache is enabled.
- B. 1056 KB is allocated for the result cache, but the result cache is disabled.
- C. The results for only the queries that have the RESULT\_CACHE hint are cached.
- D. The results for all the queries except those having the NO\_RESULT\_CACHE hint are cached.

Answer: B

## Question: 3

In a user session, tracing is enabled as follows: SQL> EXECUTE DBMS\_TRACE.SET\_PLSQL\_TRACE(DBMS\_TRACE.TRACE\_ENABLED\_LINES); PL/SQL procedure successfully completed. You executed the procedure as follows: SQL> EXECUTE PROC10 PL/SQL procedure successfully completed. When you examine the PLSQL\_TRACE\_EVENTS table, you find that no trace information was written into it. View the Exhibit. What is the reason for this?

```
SQL> select proc_name,proc_line,event_proc_name,event_comment
       from plsql_trace_events;
```

PROC_NAME	PROC_LINE	EVENT_PROC_NAME	EVENT_COMMENT
			PL/SQL virtual Machine started
			Some NODEBUG ev ents skipped
			PL/SQL virtual Machine stopped

- A. The PROC10 procedure is created with the invoker's right.
- B. The PROC10 procedure is not compiled with the DEBUG option.
- C. Tracing is not enabled with the TRACE\_ENABLED\_CALLS option.
- D. The TRACE\_ENABLED parameter is set to FALSE for the session.

Answer: B

Question: 4

**Which two statements are true about SecureFile LOB options? (Choose two.)**

- A. The COMPRESSION HIGH option can be enabled only for CLOBs.
- B. The COMPRESSION HIGH option can be enabled for all internal LOBs.
- C. The DECRYPT option can be used to remove encryption only if the LOB column is empty.
- D. The DECRYPT option can be used to remove encryption from LOB columns that are empty or contain data.

Answer: B, D

Question: 5

**View the Exhibit and examine the structure of the EMPLOYEES table. Examine the following PL/SQL block: DECLARE TYPE EmpListIS VARRAY(2) OF employees.employee\_id%TYPE NOT NULL; v\_employees EmpList := EmpList(); BEGIN DBMS\_OUTPUT.PUT\_LINE(v\_employees.COUNT);v\_employees.EXTEND; v\_employees(1) := 30;**

EMPLOYEES		
Name	Null?	Type
EMPLOYEE_ID	NOT NULL	NUMBER(6)
FIRST_NAME		VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(25)
HIRE_DATE	NOT NULL	DATE
JOB_ID	NOT NULL	VARCHAR2(10)
SALARY	NOT NULL	NUMBER(8,2)
DEPARTMENT_ID	NOT NULL	NUMBER(4)

- A. It executes successfully and displays the value 2.
- B. It executes successfully and displays the value 0.
- C. It generates an error because EXTEND cannot be used for varrays.
- D. It generates an error because the declaration of the varray is not valid.

Answer: B

Question: 6

View the Exhibit and examine the procedure to create a trigger name based on the table name supplied to the procedure. Which three statements are appropriate for protecting the code in the procedure from SQL injection? (Choose three.)

```

CREATE OR REPLACE PROCEDURE add_trigger
(p_schema VARCHAR2, p_table_name VARCHAR2) AS
v_stmt VARCHAR2(4000);
BEGIN
v_stmt := 'CREATE OR REPLACE TRIGGER ' || p_schema || '.' || 'xx$' || p_table_name
|| ' AFTER UPDATE ON ' || p_schema || '.' || p_table_name
|| ' FOR EACH ROW Begin NULL; End;';
DBMS_Output.Put_Line('SQL stmt: ' || v_stmt);
EXECUTE IMMEDIATE v_stmt;
....
....
....
END;
/

```

- A. Explicitly validate the identifier length limit.
- B. Add AUTHID DEFINER to the definition of the procedure.
- C. Use PRAGMA RESTRICT\_REFERENCES in the procedure.
- D. Filter out control characters in user-supplied identifier names.
- E. Use the object ID of the table from the data dictionary to build the trigger name.

Answer: A, D, E

Question: 7

**Which statement describes the purpose of the plshprof command?**

- A. It produces HTML output from raw profiler output.
- B. It produces HTML output from profiler tables in the database.
- C. It populates profiler tables in the database from raw profiler output.
- D. It produces raw profiler output on the most recently run applications.

Answer: A

Question: 8

**Examine the structure of the DEPARTMENTS table. Name Null? Type  
DEPARTMENT\_ID NOT NULL NUMBER(4) DEPARTMENT\_NAME NOT NULL VARCHAR2(30)  
LOCATION\_ID NUMBER(4) View the Exhibit and examine the code that you plan to use for  
creating a package to obtain the details of an employee using a host variable on the client  
side. In SQL\*Plus, you plan to use the following commands: SQL> VARIABLE x  
REFCURSORSQL> EXECUTE emp\_data.get\_emp(195,:x) SQL> PRINT x Which statement is  
true about the above scenario?**

```
CREATE OR REPLACE PACKAGE emp_data AS
  TYPE typ_emp_rec IS RECORD
    (last_name VARCHAR2(20),
     dept_name VARCHAR2(30));
  TYPE rt_emp IS REF CURSOR RETURN typ_emp_rec;
  PROCEDURE get_emp
    (p_empid IN NUMBER, p_cv_emp IN OUT rt_emp);
END;
/

CREATE OR REPLACE PACKAGE BODY emp_data AS
  PROCEDURE get_emp
    (p_empid IN NUMBER, p_cv_emp IN OUT rt_emp)
  IS
  BEGIN
    OPEN p_cv_emp FOR
      SELECT last_name, department_name
         FROM employees JOIN departments USING (department_id)
         WHERE employee_id = p_empid;
    CLOSE p_cv_emp;
  END;
END;
/
```

- A. The package executes successfully and passes the required data to the host variable.
- B. The package specification gives an error on compilation because cursor variable types cannot be defined in the specification.
- C. The package specification gives an error on compilation because the cursor variable parameter was specified before you defined it.
- D. The package executes successfully, but does not pass the required data to the host variable because the cursor is closed before the PRINT statement runs.

Answer: D

Question: 9

**Which two statements correctly describe the features of SecureFiles? (Choose two.)**

- A. Compression does not entail table or index compression and vice-versa.
- B. Encryption stores the encryption keys for the LOB columns inside the database.
- C. Encryption stores the encryption keys for the LOB columns outside the database.
- D. Compression stores identical data occurring two or more times in the same LOB column as a single copy for the table.

Answer: A, C

Question: 10

**View the Exhibit to examine the PL/SQL code for the GET\_METADATA function. Which statement is true about the metadata gathered by the function?**

```
CREATE OR REPLACE FUNCTION get_metadata RETURN CLOB IS
  h NUMBER;
  th NUMBER;
  doc CLOB;
BEGIN
  h := DBMS_METADATA.OPEN('TABLE');
  DBMS_METADATA.SET_FILTER(h, 'SCHEMA', 'HR');
  DBMS_METADATA.SET_FILTER(h, 'NAME', 'TIMECARDS');
  th := DBMS_METADATA.ADD_TRANSFORM(h, 'MODIFY');
  DBMS_METADATA.SET_REMAP_PARAM(th, 'REMAP_SCHEMA', 'HR', 'SCOTT');
  th := DBMS_METADATA.ADD_TRANSFORM(h, 'DDL');
  DBMS_METADATA.SET_TRANSFORM_PARAM(th, 'SEGMENT_ATTRIBUTES', false);
  doc := DBMS_METADATA.FETCH_CLOB(h);
  DBMS_METADATA.CLOSE(h);
  RETURN doc;
END;
```



- A. The end result is the creation of DDL for the TIMECARDS table with all instances of the HR schema changed to SCOTT.
- B. The end result is the creation of an XML document for all tables with all physical, storage, logging, and other segment attributes.
- C. The end result is the creation of DDL for all tables with all instances of the HR schema changed to SCOTT along with all physical, storage, logging, and other segment attributes.
- D. The end result is the creation of DDL for all tables and associated indexes with all instances of the HR schema changed to SCOTT along with all physical, storage, logging, and other segment attributes.

Answer: A

Question: 11

**DATA\_FILES** is a directory object that contains the **DETAILS.TXT** text file. You have the required permissions to access the directory object. You create a table using the following command: **CREATE TABLE clob\_tab(col2 CLOB);** View the Exhibit and examine the PL/SQL block that you execute for loading the external text file into the table that currently has no rows. The PL/SQL block results in an error. What correction must be done to ensure the PL/SQL block executes successfully?

```
DECLARE
  a_clob CLOB := EMPTY_CLOB();
  a_bfile BFILE := BFILENAME('DATA_FILES','details.txt');
  n NUMBER;
  l_out CLOB;
BEGIN
  INSERT INTO clob_tab(col2) VALUES (empty_clob());
  DBMS_LOB.FILEOPEN(a_bfile);
  DBMS_LOB.LOADFROMFILE(a_clob, a_bfile,
                      DBMS_LOB.GETLENGTH(a_bfile));
  DBMS_LOB.FILECLOSE(a_bfile);
  COMMIT;
  SELECT col2 INTO l_out FROM clob_tab;
  n := DBMS_LOB.GETLENGTH(l_out);
  DBMS_OUTPUT.PUT_LINE(n);
END;
/
```

- A. The L\_OUT variable must be initialized to an empty locator.
- B. The L\_OUT variable has to be declared as a temporary LOB.
- C. The A\_CLOB variable has to be declared as a temporary LOB.



D. The clause RETURNING correctly initialize

statement to

Answer: D

Question: 12

Which two statements are true? (Choose two.)

(Choose two.)

- A. Only varrays must be declared before use.
- B. Only varrays can be used in the WHERE clause of a query.
- C. Both associative arrays and varrays can be used in the WHERE clause of a query.
- D. Both associative arrays and varrays can be used in the WHERE clause of a query.

base tables.

Answer: A, B

Question: 13

Examine the commands below:  
**CREATE TYPE typ\_course\_nst AS TABLE (faculty\_id NUMBER(10), course\_nst NESTED TABLE OF VARCHAR2(20) /**  
**TABLE courses STORED AS TABLE (101, 'Jones',**  
**NULL); UPDATE (SELECT**  
**typ\_course\_nst(11, 'C**  
**commands?**

TABLE OF VARCHAR2(20) /  
 TABLE faculty  
 se\_nst) NESTED  
 (101, 'Jones',  
 ET courses =  
 on of these

- A. All the commands will execute successfully.
- B. Only the first two commands will execute successfully.
- C. Only the first four commands will execute successfully.
- D. Only the first three commands will execute successfully.

.C

# 1Z0-146 Demo Exam

Get complete 1z0-146 exam questions and answers by visiting URL  
["http://www.techexams.ws/exams/1z0-146.do"](http://www.techexams.ws/exams/1z0-146.do)