



2B0-100

(ESE Recertification)

Total Questions: 100

Last Updated: Jan 01, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 2B0-100 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

The RADIUS Filter-ID parameter is used to:

- A. Authenticate users
- B. Authenticate a RADIUS client
- C. Pass policy information to a switch to authorize an authenticated user with a level of network access
- D. Discard traffic destined for a RADIUS server

Answer: C

Question: 2

If ingress filtering is enabled on a port, then the switch:

- A. Discards all tagged frames received on the port
- B. Allows tagged frames received on a port if the port is on the egress list of the VLAN specified in the packets VLAN tag
- C. Discards tagged frames received on a port if the port is on the egress list of the VLAN specified in the packets VLAN tag
- D. Uses tagged frames received on a port to add the port to the egress list of the VLAN specified in the packets VLAN tag

Answer: B

Question: 3

What is the default VLAN on all Enterasys switches?

- A. 10
- B. 4095
- C. 0
- D. 1

Answer: D

Question: 4

To prevent a port on a Matrix N-series from being automatically added to a VLAN via GVRP, what would you configure the ports VLAN egress setting as?

- A. Forbidden
- B. Untagged
- C. GVRP stop
- D. Tagged

2

Answer: A

Question: 5

What feature is available in SSH and provides an alternative to Telnet?

- A. MD5 authentication
- B. Secure Shell
- C. Secure Socket Layer
- D. Access Control

Answer: B

Question: 6

Which is not an authentication protocol?

- A. IPSEC
- B. 802.1X
- C. PWA
- D. MAC based

Answer: A

Question: 7

What must you configure on a switch to use SSH instead of Telnet?

- A. MAC address
- B. Passwords
- C. 802.1X authentication
- D. IP address

2B0-100 Demo Exam