



2B0-104

(Enterasys Certified Internetworking Engineer(ECIE))

Total Questions: 75

Last Updated: Jan 01, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 2B0-104 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

An Acceptable Use Policy for the network should define:

- A. Which types of traffic trusted users only are allowed to generate on the network
- B. Which types of traffic untrusted users only are allowed to generate on the network
- C. Which types of traffic trusted and untrusted users are allowed to generate on the network
- D. Which types of traffic guest users only are allowed to generate on the network

Answer: C

Question: 2

A new virus has been identified on the Internet causing an infected system to listen to TCP port X for allowing remote connections to the infected device. If a network administrator desires to prevent infected devices from being further exploited within the enterprise network, the network administrator should configure and enforce policy for infected devices to the Active Edge of the network that:

- A. Discards traffic destined to TCP port X
- B. Discards traffic sourced from TCP port X
- C. Prioritizes traffic destined or sourced to TCP port X to a low priority
- D. Rate limit traffic destined or sourced to TCP port X

Answer: B

Question: 3

Which of the following services, as defined by demo.pmd in NetSight Policy Manager, reduces network congestion by removing legacy protocols from the network such as IPX?

- A. Deny Unsupported Protocol Access service
- B. Deny Spoofing & other Administrative Protocols service
- C. Threat Management service
- D. Limit Exposure to DoS Attacks service

Answer: A

Question: 4

In a multi-vendor environment where 3 rd party devices are located at the edge of the network and are not policy-capable, installing a policy-capable device in the distribution layer:

- A. Protects the network core from internally sourced attacks
- B. Protects the server farm from internally sourced attacks
- C. Secures other access layer segments connected through the policy-capable distribution layer device

2

D. All of the above

Answer: D

Question: 5

In a multi-vendor environment, which device most effective in discarding traffic?

- A. At the access layer
- B. At the distribution layer
- C. In the DMZ
- D. In the core

Which device most effective in discarding traffic?

Answer: A

Question: 6

Which of the following protects the network from Denial of Service attacks?

- A. Deny Unsupported
- B. Deny DoS Attacks
- C. Limit Exposure to Internet
- D. Application Protection

Which of the following protects the network from Denial of Service attacks?

Answer: C

Question: 7

As defined in NetSignatures, which of the following is not a Group?

- A. Allows PPTP and L2TP
- B. Allows HTTP, DNS, and SMTP
- C. Allows Telnet and SSH
- D. Disables Telnet and SSH

Which of the following is not a Group?

Answer: C

2B0-104 Demo Exam