



310-880

(Sun Certified Senior System Support Engineer)

Total Questions: 111

Last Updated: Jan 03, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 310-880 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

You are installing a Sun Fire 15K server. The System Controller comes with a pre-installed, EIS compliant Solaris image. You need to confirm that this image was installed with the current EIS CD. Which file can be used to determine the current version of the EIS CD used on a system?

- A. /etc/motd
- B. /etc/release
- C. /sun/install.log
- D. \$SMSETC/SMS/config/smsversion.cf

Answer: C

Question: 2

You are conducting a pre-install site survey for 8 Sun Fire V890s and 4 Sun Rack 900s in a raised floor environment. The customer wants to install them in 2 rows, one in front of the other. How should you configure the placement of the systems?

- A. The Sun Fire V890s should be placed back to back, and perforated floor tiles should be placed in front of the racks.
- B. The Sun Fire V890s should be placed back to back, and perforated floor tiles should be placed at the rear of the racks.
- C. The Sun Fire V890s should be facing the same direction, one behind the other, and perforated floor tiles should be placed in front of the racks.
- D. The Sun Fire V890s should be facing the same direction, one behind the other, and perforated floor tiles should be placed both in front of, and at the rear of the racks.

Answer: A

Question: 3

You are installing a 66 Mhz PCI card in a Sun Fire 6800. The customer tells you they want the best performance from the card. (Note, the customer has no PCI+ I/O Boards installed in the system) How many slots in an 8-slot PCI I/O Board can operate at 66 Mhz?

- A. 0
- B. 1
- C. 2
- D. 3
- E. 4

Answer: C

Question: 4

You are installing a new server. You want to determine if the disk is healthy. How do you evaluate the firmware?

- A. fru stat
- B. iostat -En
- C. iostat -tcx
- D. prtconf -pv
- E. luxadm -e prob
- F. luxadm display

server. You want to determine if the disk is healthy. How do you evaluate the firmware?

Answer: B

Question: 5

You have performed a system boot. What command do you use to check the status of the POST?

- A. showlog-results
- B. showlog results
- C. show-log-result
- D. showpost-result
- E. showpost result
- F. show-post-resu

where the auto-configuration script is run to find the status of the POST?

Answer: F

310-880 Demo Exam