



3X0-203

(Samba Resource Sharing)

Total Questions: 50

Last Updated: Jan 01, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 3X0-203 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

What is the function of the smbclient command?

- A. It provides access to a Samba-enabled computer from a Windows machine.
- B. It provides access to shared resources on a Windows computer.
- C. It allows a Windows share to be mounted from a computer running Linux.
- D. It provides access to Linux shares from a Windows computer.

Answer: B

Question: 2

In order for encrypted passwords to be available to Samba, which of the following lines should appear in smb.conf? (Choose two.)

- A. encrypt passwd = yes
- B. encrypt passwords = yes
- C. smb passwd file = /usr/local/etc/smbpasswd
- D. encrypt = /etc/shadow
- E. encryptpass = /usr/local/etc/smbpasswd

Answer: B, C

Question: 3

Ron, a Windows user on his local network, asked his co-worker Ned to save a file on the file server (a Linux machine). Ned saves the file in the specified directory and sends Ron a message to tell him it is there. Ron looks in the file server share, but he cannot find the file until he checks it 20 minutes later. Why is Ron having this problem?

- A. The "deadtime" parameter of the smb.conf file is set to 1200.
- B. The "browseable" parameter of the smb.conf file is set to 1200.
- C. The "change notify timeout" parameter of the smb.conf file is set to 1200.
- D. The "browse list" parameter of the smb.conf file is set to 1200.

Answer: C

Question: 4

Which of the following commands will be executed first by Samba?

- A. preexec = rm -r /home/samba/tmp/*
- B. root postexec = mkisofs -log-file %H/log-%d.txt
- C. root preexec = mkdir /home/temp
- D. root execute = rmdir -R /home/temp
- E. prescript /home/samba/scripts

2

Answer: C

Question: 5

Isabella has recently issued the command below. What does this command do?

```
infiles client1-csr > c
```

- A. She has "signed" the certificate for the client
- B. She has removed the certificate for the client
- C. She has created the certificate for the client
- D. She has generated the certificate for the client

has issued the command below. What does this command do?

```
key ca -days 100 -
```

the server.
 certificate for the client

Answer: A

Question: 6

Many smb.conf parameters control access to files. From the following, select the parameter that would prevent users from accessing hidden files.

- A. hide files = .mbx, .n
- B. hide files = *.m
- C. hide files = "*.*"
- D. hide files = *.m
- E. hide files = .mbx

parameter. From the following, select the parameter that would prevent users from accessing hidden files.

Answer: D

Question: 7

Diego, an administrator, wants to allow users access to their Linux home directories. Which parameter should he use in smb.conf?

- A. path = /home
- B. path = /home/samba
- C. path = /home
- D. path = /home/samba

users access to their Linux home directories. Which parameter should he use in smb.conf?

Answer: D

3X0-203 Demo Exam