



642-504

(Securing Networks with Cisco Routers and Switches)

Document version:1 04 11

Important Note About 642-504 PDF

techeXams' **642-504 PDF** is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

Which two are technologies that secure the control plane of the Cisco router? (Choose two.)

- A. Cisco IOS Flexible Packet Matching
- B. uRPF
- C. routing protocol authentication
- D. CPPr
- E. BPDU protection
- F. role-based access control

Answer: C, D

Question: 2

What are the two category types associated with 5.x signature use in Cisco IOS IPS? (Choose two.)

- A. basic
- B. advanced
- C. 128MB.sdf
- D. 256MB.sdf
- E. attack-drop
- F. built-in

Answer: A, B

Question: 3

Refer to the exhibit. Which optional AAA or RADIUS configuration command is used to support 802.1X guest VLAN functionality?

```
aaa new-model
aaa authentication dot1x default group radius
aaa authorization network default group radius
aaa accounting dot1x default start-stop group radius
aaa accounting system default start-stop group radius
radius-server host 10.1.1.1 auth-port 1812 acct-port 1813
radius-server key cisco123
```

- A. AAA authentication dot1x default group radius
- B. AAA authorization network default group radius
- C. AAA accounting dot1x default start-stop group radius
- D. AAA accounting system default start-stop group radius

E. Radius-server host 10.1.1.1 auth-port 1812 acct-port 1813

Answer: B

Question: 4

Which is an advantage of implementing the Cisco IOS Firewall feature?

- A. Provides self-contained end-user authentication capabilities
- B. Integrates multiprotocol routing with security policy enforcement
- C. Acts primarily as a dedicated firewall device
- D. Is easily deployed and managed by the Cisco Adaptive Security Device Manager
- E. Provides data leakage protection capabilities

Answer: B

Question: 5

Which three statements correctly describe the GET VPN policy management? (Choose three.)

- A. A central policy is defined at the ACS (AAA) server.
- B. A local policy is defined on each group member.
- C. A global policy is defined on the key server, and it is distributed to the group members.
- D. The key server and group member policy must match.
- E. The group member appends the global policy to its local policy.

Answer: B, C, E

Question: 6

Match the Cisco IOS IPS SEAP feature on the left to its description on the right. Not all the features on the left are used.

signature fidelity rating	user's perceived value of the target host
alert severity rating	remove action(s) from an event
target value rating	a way to add event actions globally
risk rating	
event action filters	
event action overrides	

Answer:

signature fidelity rating	target value rating
alert severity rating	event action filters
target value rating	event action overrides
risk rating	
event action filters	
event action overrides	

Question: 7

The CPU and Memory Threshold Notifications of the Network Foundation Protection feature protects which router plane?

- A. control plane
- B. management plane
- C. data plane
- D. network plane

Answer: B


Question: 8

Drop

Match the Network Foundation Protection (NFP) feature on the left to where it is applied on the right.

Flexible Packet Matching	applies to all (aggregated) control-plane traffic
Control Plane Protection	applies to a control-plane sub-if, example; host or transit or cef-exception
Control Plane Policing	applies to data plane traffic

Answer:



Get Full Version of Exam 642-504 PDF Q&A

techeXams presents authentic, genuine and valid study material, which promise 100% success in very first attempt. To take optimal results for 642-504 exam, you need to buy full version of 642-504 question and answer. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. So come join us and quench your thirst for knowledge.

Get complete 642-504 questions and answers by visiting URL

["http://www.techexams.ws/exams/642-504.do"](http://www.techexams.ws/exams/642-504.do)