



**70-181**

(TS: Windows Embedded Compact 7)

Document version: 11.05.07

## Important Note About 70-181 PDF

techeXams' **70-181 PDF** is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

### Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners`.

## Question: 1

**You have a copy of the %\_FLATRELEASEDIR% folder from an OS image build. You need to identify the environment variables of the development computer on which the OS image was built. Which file should you review?**

- A. Build.log
- B. Makeimg.out
- C. Ceconfig.h
- D. Makeimg\_diag.out

Answer: D

## Question: 2

**You run several test passes by using the Windows Embedded Compact Test Kit (CTK). You need to compare the performance results of the target device across multiple test passes. What should you do?**

- A. From the Test menu, click Manage Tests.
- B. From the test pass, select the Measure Memory Performance test. From the Test menu, click Run Test Pass.
- C. From the File menu, click Merge Test Passes.
- D. From the Advanced tab of Graphic Performance Viewer, select the Trend Analysis check box.

Answer: C

## Question: 3

**You are developing an application subproject. You discover that the user interface (UI) of the application is slow to respond to user input. You need to identify how to improve the response time of the UI. Which tool should you use?**

- A. Windows CE Application Verifier
- B. Profiler
- C. Zoom
- D. Resource Consumer



D. From the Target menu, click Device Status.

Answer: B

Question: 7

**You develop a stream interface driver named MyDriver. You implement a custom API in MyDriver. You plan to test the driver by using the Windows Embedded Compact Test Kit (CTK). You need to perform a unit test of MyDriver. What should you do first?**

- A. Run tux.exe on the target device.
- B. Run udevice.exe on the target device.
- C. Enable profiling in MyDriver.
- D. Create a Tux DLL.

Answer: A

Question: 8

**You have an OS design for a target platform. You need to enable profiling in the OS image. What should you modify?**

- A. the MEMORY section of the Config.bib file
- B. the HKEY\_LOCAL\_MACHINE\System\StorageManager\Profiles registry key in the Platform.reg file
- C. the HKEY\_LOCAL\_MACHINE\Init\BootVars registry key in the Platform.reg file
- D. the CONFIG section of the Config.bib file

Answer: A

Question: 9

**You deploy an OS image to a target device. From Windows Embedded Compact Test Kit (CTK), you run a performance test. You need to view the results of the test. Which tool should you use?**

- A. File Viewer
- B. CeLog

- C. Performance Monitor
- D. Graphical Performance Viewer

Answer: C

Question: 10

**You develop a board support package (BSP) named MyBSP. You need to ensure that MyBSP includes support for profiling. Which function should you implement in MyBSP?**

- A. ProfilerStart
- B. ProfilerHit
- C. OEMProfileTimerEnable
- D. OEMIdle

Answer: B

Question: 11

**You have an OS image on a target device. The OS image does not include a debugging interface. The target device does not have network connectivity. You need to test the display driver on the target device. What should you do?**

- A. On the target device, run tux.exe.
- B. On the development computer, run tux.exe.
- C. On the target device, run cetest.exe.
- D. On the development computer, run cetest.exe.

Answer: A

Question: 12

**You plan to use the Windows Embedded Compact Test Kit (CTK) to perform a test pass on a target device. You create a custom test case for the test pass. The test code for the test pass is in a DLL named Myhdtest.dll. You need to ensure that the custom test case appears as a Hard Drive Test in Test Case Explorer. What should you modify in the test case?**

- A. From the Test Case Information tab, set the Category to Hard Drive.

- B. From the Test Case Information tab, set the Run type to Fully Automated.
- C. From the Test Case Information tab, set the main binary to Myhdtest.dll.
- D. From the Advanced Test Information dialog box, enable Hard Drive in the Required Peripherals list.

Answer: A

Question: 13

**You have an OS design. You generate an OS image from the OS design. You download the OS image to a target device. After the OS image starts on the target device, you discover that an application takes more than five seconds to complete a task that should take less than 500 milliseconds to complete. You need to identify what causes the performance issue. Which build option should you configure?**

- A. Buffer tracked events in RAM
- B. Event tracking during boot
- C. Enable kernel debugger
- D. Enable profiling

Answer: C

## Get Full Version of Exam 70-181 PDF Q&A

techeXams presents authentic, genuine and valid study material, which promise 100% success in very first attempt. To take optimal results for 70-181 exam, you need to buy full version of 70-181 question and answer. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. So come join us and quench your thirst for knowledge.

**Get complete 70-181 questions and answers by visiting URL**

**["http://www.techexams.ws/exams/70-181.do"](http://www.techexams.ws/exams/70-181.do)**