



70-237

(Pro: Designing Messaging Solutions with MS Exchange Server 2007)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' 70-237 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: customer.service@techeXams.ws

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact customer.service@techeXams.ws.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

What Active Directory requirements do you have if you want to install Exchange Server 2007 into your forest? (Select all that apply.)

- A. Windows Server 2003 Service Pack 1 or later must be installed on the server that hosts the Schema Masterrole.
- B. All domains where you want to install Exchange Server 2007 must run in Windows 2003 domain functional mode.
- C. Domains where you install Exchange Server 2007 must run in Windows 2000 native domain functional mode.
- D. Install at least Windows Server 2003 Service Pack 1 on all global catalogs that are located in AD sites where you plan to install Exchange Server 2007.

Answer: A, C, D

Question: 2

Company.com has a main office and several branch offices. An AD site exists for each office. Each site has two Exchange Server 2003 servers and one routing group connected by a routing group connector, which uses both Exchange servers as local bridgehead servers. You want to implement Exchange Server 2007. Each office will have two Exchange Server 2007 Hub Transport servers. Exchange Server 2007 servers will be on the same network segment as Exchange Server 2003 servers. Exchange Server 2003 mailboxes will be moved to Exchange Server 2007 Mailbox servers in the same office during next two months. Your solution will meet the requirement as blow: Use the local network to transfer e-mail messages even if the mailbox has been moved to Exchange Server 2007. It will not interfere with how Exchange Server 2003 delivers e-mail to other Exchange Server 2003 servers. What is your suggested solution? (Each correct answer presents part of the solution. Choose two.)

- A. You should add an SMTP connector using the Exchange Server 2007 Hub Transport servers as smart hosts.
- B. You should add smart host to the SMTP virtual server. Configure the smart host to deliver e-mail to the Exchange Server 2007 Hub Transport servers.
- C. Create routing group connectors between each of the existing routing groups with the name Exchange Routing Group.
- D. For each routing group connector, configure the local Exchange Server 2007 Hub Transport servers as the remote bridgeheads.

Answer: C, D

Question: 3

You are an Exchange Administrator responsible for one Exchange Mailbox server that contains both a mailbox store and a public store. You want to be able to recover access to both mailboxes and public folders in case of a

2

database failure. You do not want to buy additional hardware. What can you do?

- A. Configure LCR
- B. Configure CCR
- C. Configure SCC
- D. Nothing; schedule backups

Answer: A

Question: 4

You need to back up the mailbox databases. Your backup plan should ensure that: A full backup of the Mailbox database must be performed twice a day. Backups must not interfere with online maintenance and must have the least impact on server performance. What should you do?

- A. Move transaction logs to the a new physical disks on mailbox servers.
- B. Run streaming backups of the mailbox databases at 1:00 p.m. and 11:00 p.m.
- C. Create additional storage groups and mailboxes databases. Distribute mailboxes across multiple mailbox databases.
- D. Add additional physical disks to the Mailbox servers. Configure each storage group to use local continuous replication to replicate the databases on the new disks. Perform volume shadow copy backups of the passive copy of the mailbox database at 1:00 p.m. and 11:00 p.m.

Answer: D

Question: 5

You are an Exchange Administrator responsible for an Exchange 2007 organization that consists of one Exchange 2007 Mailbox server, one Client Access server, and one Hub Transport server. You have followed all guidelines available to back up your environment, and now you are faced with a Client Access server failure. You have a spare box (different hardware than for the original server) ready to take over the functionalities of the failed server. What three actions should you take to successfully recover your Client Access server?

- A. Restore file-level backup and system-state backup of the Client Access server.
- B. Install a Client Access server using Setup /m:RecoverServer.
- C. Restore file-level backup to restore the Availability web service and Outlook Web Access virtual directories settings.
- D. Reapply any customizations that you have logged after deploying the Client Access server.

Answer: B, C, D

Question: 6

You just deployed a new backup system supporting streaming backups to a tape device. Your disaster recovery plan for Mailbox servers should ensure that loss of data must be less than 4 hours if a complete server failure. Transaction logs on Mailbox servers must be deleted only once each day. Only the disk storage available on the existing Mailbox servers must be used. What should you do?

- A. Perform a copy backup every night and an incremental backup every four hours.
- B. Perform a full backup every night and a differential backup every four hours.
- C. Enable circular logging on all storage groups.
- D. Implement local continuous replication on all storage groups.

Answer: B

Question: 7

You are an Exchange Administrator responsible for an Exchange 2007 organization that consists of one Exchange 2007 Mailbox server, one Client Access server, and one Hub Transport server. You need to be able to trace the path a message took for six months, and you need to be able to provide an overview of the messages that have passed a connector on your Exchange servers. What critical data should be backed up? (Choose all that apply.)

- A. Message-tracking log files
- B. Protocol log files
- C. Message queues
- D. Local configuration data

Answer: A, B

Question: 8

Company.com has a main office and four branch offices. Each office has three Exchange Server 2007 servers. Two Mailbox servers are configured as a single copy cluster. The third server is configured a Hub Transport server. During a recent Hub Transport server failure, some Outlook users complain they cannot send or receive messages. You need to design an Exchange organization to ensure that the failure of a Hub Transport server on the network does not prevent message delivery and load balance the delivery of messages between multiple Hub Transport servers in each office. What should you do?

- A. Create a MX record for each Hub Transport server.
- B. Create a CNAME record for each Hub Transport server
- C. Install the Windows Clustering service on all Hub Transport servers.
- D. Create a new Send connector on all Hub Transport servers.
- E. Install an additional Hub Transport server in each office.

4

Answer: E

Question: 9

You are an Exchange Administrator responsible for an Exchange 2007 organization that consists of one Exchange 2007 Mailbox server, one Client Access server, one Hub Transport server, and one Unified Messaging server. You have created several custom audio prompts. What should be included in your backup plan for your Unified Messaging server?

- A. Back up your Active Directory.
- B. Back up your custom audio prompts using a file-level backup.
- C. Back up your SMTP queues.
- D. Back up your IIS metabase.

Answer: B

Question: 10

You need to design a recovery plan for mailboxes and mailbox content. Your plan should meet the following requirements: Deleted mailboxes and mailbox content must be available on backup media after deleted from the Exchange server. Users can recover mailbox content deleted within the last seven days. Administrators can recover a mailbox deleted within the last seven days. What should you configure for each mailbox database?

- A. Allow the database to be overwritten by a restore.
- B. Configure the maintenance schedule to run every seven days.
- C. Add a new Exchange Server 2007 as backup media
- D. Configure the information store to permanently delete items only after the database has been backed up. Set the deleted item and mailbox retention time to seven days.

Answer: D

Question: 11

You are an Exchange administrator responsible for a single Exchange Server 2007 deployment that houses 500 mailboxes. You need to provide high availability and your management does not want to buy additional hardware, but you are allowed to make changes to the current hardware. What could you do to achieve those goals? (Select three.)

- A. Implement LCR
- B. Add additional disk storage to your current server
- C. Add additional memory to your current server
- D. Add an additional network card to your current server
- E. Deploy two new Exchange Mailbox servers configured with CCR

5

Answer: A, B, C

Question: 12

In order to manage all Exchange-related objects in the Active Directory, what Exchange role do you need to perform this task? You do not have any extra Active Directory permissions like Domain Admin assigned to your account! (Select all that apply.)

- A. Exchange Organization Administrators
- B. Exchange Recipient Administrators
- C. Exchange View-Only Administrators
- D. Exchange Server Administrators

Answer: A, B

Question: 13

Your perimeter network has an Edge Transport server which has content filtering enabled. You need to recommend additional anti-spam configurations that meet the following requirements: Reject connections from Internet addresses from known spam address. Maintain the Internet a known spam address by using an external service. Reject e-mail from Internet addresses that are possible sources of spam by running SMTP open proxy tests. What should you do?

- A. Add an IP Block List provider.
- B. Enable sender reputation and filtering.
- C. Configure Sender ID to stamp the message with the Sender ID result.
- D. Configure recipient filtering to reject recipients that are not in the global address list.

Answer: B

Question: 14

You are an Exchange administrator and your company wants to deploy a new application on your Exchange Client Access server. You need to test the application. How should you configure your test environment?

- A. Build a lab environment that is the same as your production environment.
- B. Test the application in your production environment.
- C. Use a single Exchange server to test the application.
- D. Deploy the application after making a backup of your production environment.

Answer: A

Question: 15

Company.com has two offices connected to the Internet. One office is located in London and the other office is located in Boston. You deploy an Exchange Server 2007 Edge Transport server and a Hub Transport server to receive e-mail from the Internet in each office. You need reduce the number of unsolicited commercial e-mails and use a dynamically updated list of known spam servers. You should ensure configurations are consistent across all Edge Transport servers. What should you do?

- A. Configure blocked IP addresses for the IP Block list in Exchange Management Console. Run the ExportEdgeConfig.ps1 script on the first Edge Transport server. Run the ImportEdgeConfig.ps1 script on the other Edge Transport server.
- B. Configure providers for the IP Block List providers in Exchange Management Console. Run the ExportEdgeConfig.ps1 script on the first Edge Transport server. Run the ImportEdgeConfig.ps1 script on the other Edge Transport server.
- C. Create an Edge Subscription file for the London Edge Transport server only. Configure a new Edge Subscription for the London Hub Transport server only.
- D. Join each Edge Transport server to the AD domain.

Answer: B

Question: 16

You are an Exchange administrator responsible for two Exchange servers that both have the Mailbox server role, Client Access server, and Hub Transport server role installed. One day, one of the two Exchange servers crashes and you need to restore mail service as soon as possible for your clients. What recovery strategy should you choose?

- A. Use the recovery storage group.
- B. Use dial-tone recovery using database portability.
- C. Wait for hardware replacement and recover the original server.
- D. Deploy a new server using setup /m:RecoverServer.

Answer: B

Question: 17

Company.com installs Office Outlook 2007 licenses for all client computers. What should you do to prevent client computers that from connecting to your Exchange Server 2007 servers?

- A. You should disable the MAPI feature for all mailboxes in Exchange Management Console.
- B. You should enable the MAPI feature for all mailboxes in Exchange Management Console.
- C. You should assign a managed folder mailbox policy in Exchange Management Console.
- D. Run the Set-CASMailbox cmdlet using Exchange Management Shell

7

Answer: D

Question: 18

You are an Exchange administrator and you recently deployed Exchange Server 2007. You need to implement a backup solution. You do not have the budget to buy a third-party backup solution. Which solution should you implement?

- A. Use Ntbackup to schedule an Exchange-aware online backup of your storage groups.
- B. Use Ntbackup to schedule a file-level backup of your Exchange database files.
- C. Do not implement a backup program yeti await for budget.
- D. Use Ntbackup to schedule a file-level backup of your dismounted database files.

Answer: A

Question: 19

Company.com uses a centralized backup system. But it will exceed its capacity. You need to design a backup plan for your Exchange Server 2007 Mailbox server to back up all mailbox data every Tuesday night and back up changes to mailbox data every night except Tuesday night. At the same time you should minimize the amount of time required to complete backups and the risk of transaction log disks exceeding available disk space. What is your suggested solution?

- A. Perform a copy backup on Tuesday night and a differential backup the other nights of the week.
- B. Perform a differential backup on Tuesday night and a normal backup the other nights of the week.
- C. Perform an incremental backup on Tuesday night and a normal backup the other nights of the week.
- D. Perform a normal backup on Tuesday night and an incremental backup the other nights of the week.

Answer: D

Question: 20

You have completed the migration of all your users from Exchange Server 2003 to Exchange Server 2007, and you want to ensure that all clients running Outlook 2003 can access free/busy information when the Exchange Server 2003 servers are decommissioned. What should you do?

- A. Configure the 'InternalURL' parameter for the Availability service using the Set-WebServicesVirtualDirectory cmdlet.
- B. Run the Set-AutoDiscoverVirtualDirectory cmdlet on the Exchange Server 2007 Client Access server role to specify the internal URL for Outlook clients.

8

C. Create an Exchange BUSY folders from
 D. Do nothing; the Exchange Server 2

SCHEDULE+ FREE
 automatically in

Answer: C

Question: 21

Your network has two Exchange servers, Company1 and Company3. Hub Transport servers are installed on both. Web services should be installed on Company1. Access clients are n

Company1, Company2, and Company3. Company1, Company2, and Company3 hosts the server role. Exchange should be installed on Company1 and Outlook Web

A. Install the Client Access role on Company1 and Company2.
 B. Install the Hub Transport role on Company1 and Company2.
 C. Install the Client Access role on Company2 and Company3.
 D. Install the Client Access role on Company2 and Company3.

Company1 and Company2. Company1 and Company2 should be installed on Company1 and Company2. Company1 and Company2 should be installed on Company1 and Company2.

Answer: C

Question: 22

You are migrating from Exchange 2003 to Exchange 2007. What services should be installed on the Exchange 2007 servers through different mechanisms in Exchange 2007?

What services should be installed on the Exchange 2007 servers through different mechanisms in Exchange 2007?

C. Network
 D. Network

Answer: A, C

70-237 Demo Exam

Get complete 70-237 exam questions and answers by visiting URL
["http://www.techexams.ws/exams/70-237.do"](http://www.techexams.ws/exams/70-237.do)