



## **70-241**

(TS: Developing Business Process and Integration Solutions by Using Microsoft BizTalk Server 2006 R2)

Document version: 9.30.06

## Important Note, Please Read Carefully

techeXams' 70-241 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

### Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [customer.service@techeXams.ws](mailto:customer.service@techeXams.ws)

### Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact [customer.service@techeXams.ws](mailto:customer.service@techeXams.ws).

### Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

## Question: 1

You work in an international company which is named TXTWIN. And you're in charge of the company network and use Microsoft BizTalk Server 2006 R2. You develop three schemas all of which have a property named AccountID. They're respectively named Account, AccountOrder, and AccountAnswer. Now you create an orchestration which performs the following steps in sequence, the orchestration contains one Send shape, two Receive shapes, and several other shapes. First, the orchestration receives an incoming document, and the document matches the Account schema, second it maps the incoming document to the AccountOrder schema, and then it sends the AccountOrder message to the MessageBox database, receives messages that match the AccountAnswer schema back from the MessageBox database. At last if the AccountAnswer message indicates any errors, it logs a message to the event log. You develop a correlation set named CorrelationAccountID and a correlation type. Both of them are on the basis of the AccountID property. Now you have been assigned a task that you must ensure that multiple instances of the orchestration can run simultaneously, besides this, you must make sure that each one can process a unique account ID. In order to assure this, what actions should you do? (choose more than one)

- A. On the Send shape, you should initialize CorrelationAccountID.
- B. On the first Receive shape, you should initialize CorrelationAccountID.
- C. On the second Receive shape, you should initialize CorrelationAccountID.
- D. On the second Receive shape, you should set the Following Correlation property. Make it be equal to CorrelationAccountID.
- E. On the Send shape, you should set the Following Correlation property. Make it to be equal to CorrelationAccountID.

Answer: C

## Question: 2

You work in an international company which is named TXTWIN. And you're in charge of the company network and use Microsoft BizTalk Server 2006 R2. You develop an orchestration which contains several steps. You intend to use Business Activity Monitoring (BAM) to track the orchestration. You create a BAM definition. The BAM definition has several activities. What should you do to modify the dimensions that are associated with these activity components?

- A. You should utilize the Tracking Profile Editor (TPE).
- B. You should modify the Pivot Table Field List by using Microsoft Excel.
- C. You should use the Business Activity Monitoring Activity Definition Wizard.
- D. You should create a new rule in the policy by using the Business Rule Composer.

Answer: B

Question: 3

**You work in an international company which is named TXTWIN. And you're in charge of the company network and use Microsoft BizTalk Server 2006 R2. The PasThru receive pipeline is used by a receive port. Inbound SOAP messages are not being validated against schemas. At the earliest stage in the receive pipeline, what should you do to validate the messages against the envelope and body schemas?**

- A. First, you should configure the receive port and make it use the default XML receive pipeline. Second, the EnvelopeSpecNames property of the pipeline should be set to the envelope schema.
- B. First, you should create a custom receive pipeline. Add an XML validator in the Validate phase. Then configure the receive port and make it use the custom receive pipeline. Before you perform this, the Document schemas collection should be set to the envelope and body schemas.
- C. First, you should create a custom receive pipeline and add an XML disassembler in the Disassemble phase. And then configure the receive port and make it use the custom receive pipeline. Before you perform this, you should set the envelope and body schemas and the Validate document structure property should be set to True.
- D. First, you should create a custom receive pipeline and add a flat file disassembler in the Disassemble phase. And then configure the receive port and make it use the custom receive pipeline. Before you perform this, the Validate document structure property should be set to True and you should set the envelope and body schemas.

Answer: B

Question: 4

**You work in an international company which is named TXTWIN. And you're in charge of the company network and use Microsoft BizTalk Server 2006 R2. You develop an orchestration which performs the following:**

**Perform mapping**

**Process files from a receive port**

**Send a message to a business partner.**

**The orchestration is running and the receive port is enabled, but the associated send port is unenlisted. A text file is dropped in the receive location. The message is not sent to your business partner despite that the orchestration finishes successfully. So what should you do to make sure that your business partner can receive the message?**

- A. First, you should disable all breakpoints by using Health and Activity Tracking (HAT). Second you resubmit the file.
- B. First, you should save the message to a file directory by using Health and Activity Tracking (HAT). Second you resubmit the file.
- C. First, you should start the send port by using the BizTalk administration console. Second, you resume the suspended message.
- D. First, you should resume the suspended message by using the BizTalk administration console. Second, you enable the receive location and resubmit the file.

3

Answer: B

Question: 5

You work in an international company which is named TXTWIN. And you're in charge of the company network and use Microsoft BizTalk Server 2006 R2. Now you're developing a solution. You use the Business Rule Composer to create several rules. From BizTalk RFID you call the Business Rules Engine (BRE). There are test input XML instances that are stored in different files. Now you have to use them to test the rules. So what should you do?

- A. You should run the Rule Engine Deployment Wizard.
- B. You should use the BTSTask.exe command-line utility.
- C. In the Business Rule Composer, you should use the Policy Explorer.
- D. In the RFID Manager, you should use the RuleEnginePolicyExecutor event handler.
- E. In Health and Activity Tracking (HAT), you should use the Orchestration Debugger.

Answer: B

Question: 6

You work in an international company which is named TXTWIN. And you're in charge of the company network and use Microsoft BizTalk Server 2006 R2. You have two schemas respectively named NewOrder1.xsd and NewOrder2.xsd. Both of them are related to order processing. Messages that adhere to NewOrder1.xsd are created by an order processing system and are delivered using a File receive port. Messages that adhere to NewOrder2.xsd are created by a financial system and are delivered using an FTP receive port. Both schemas have a promoted property named OrderID. You implement a parallel convoy by using an orchestration. A Parallel shape which contains two Receive shapes is created. You connect the Receive shapes to the receive ports. You base the Receive shapes and the receive ports on one of the two message types. Now you must make sure that when an identical value is present in the OrderID element, the same orchestration instance will receive both the message types. So what should you do to ensure this?

- A. First, you should create a correlation type which is based on the OrderID property. And create a correlation set which is based on the correlation type. Second, you set both Receive shapes to initialize the correlation set and both Receive shapes Activate property to True.
- B. First, you should create a correlation type which is based on the OrderID property and create a correlation set which is based on the correlation type. Second, both Receive shapes should be set to initialize the correlation set and both Receive shapes Activate property should be set to False.
- C. First, you should create a correlation type which is based on the OrderID property and create two correlation sets which are based on the single correlation type. Second, each Receive shape should be set to initialize one of the correlation sets and both Receive shapes Activate property should be set to True.
- D. First, you should create a correlation type which is based on the OrderID property and create two correlation sets which are based on the single correlation type. Second, each Receive shape should be set to initialize one of the correlation

4

sets and one Receive  
 shapes Activate p

the other Receive

Answer: B

Question: 7

You work in an inte  
 the company netwo  
 solution. You have  
 are moved to the M  
 which subscribes to  
 ErrorReport.ErrorTy  
 not routed to the o  
 to make messages t  
 configure the receiv

you're in charge of  
 you're developing a  
 and then the files  
 orchestration  
 messages have an  
 s you a file which is  
 ceive port. In order  
 ion, you have to

- A. For failed mess  
 using the BizTalk
- B. If authenticatio  
 using the BizTalk
- C. You should cre  
 ErrorType in the c  
 correlation set.
- D. Before port pro  
 check box on the  
 administration co

Enable routing by  
 e Keep messages by  
 ErrorReport.  
 ape to initialize this  
 ocessing properties  
 sing the BizTalk

Answer: A

# 70-241 Demo Exam

Get complete 70-241 exam questions and answers by visiting URL  
["http://www.techexams.ws/exams/70-241.do"](http://www.techexams.ws/exams/70-241.do)