



70-448

(TS: Microsoft SQL Server 2008, Business Intelligence Development and Maintenance)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' 70-448 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: **customer.service@techeXams.ws**

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact **customer.service@techeXams.ws**.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

You are creating a SQL Server 2008 Integration Services (SSIS) package for Company.com. The package contains six Data Flow tasks and three Control Flow tasks. You should alter the package .Which is the correct answer?

- A. You should increase the two Control Flow tasks and one Data Flow task to a container. Change the TransactionOption property of the container to Supported.
- B. You should increase the two Control Flow tasks and one Data Flow task to a container. Change the TransactionOption property of the container to Disabled.
- C. You should increase the two Control Flow tasks and one Data Flow task to a container. Change the TransactionOption property of the container to Required.
- D. You should increase the two Control Flow tasks and one Data Flow task to a container. Change the TransactionOption property of the container to RequiredNew.

Answer: C

Question: 2

You are managing a SQL Server 2008 Reporting Services (SSRS) sample which does not give some same rendering extensions for Company.com. You should make sure that you could set the server in order to render to Microsoft Word. Which is the correct answer?

- A. You should change the AppSettings.config file.
- B. You should change the Global.asax file.
- C. You should change the Machine.config file.
- D. You should change the RSReportServer.config file

Answer: D

Question: 3

You are creating a SQL Server 2008 Integration Services (SSIS) package on a SQL Server 2008 database for Company.com. In order to develop a failure recovery plan that is published for a SQL Server. Which is the correct answer?

- A. You should back up the master database.
- B. You should back up the local database.
- C. You should back up the system database.
- D. You should back up the systemdb database.

Answer: A

Question: 4

You are developing a SQL Server 2008 Reporting Services (SSRS) instance of report model for Company.com. In the Report Builder tool, the users should need to create their SSRS reports. The data source they used will include a Microsoft SQL Server 2008 database. Which include 1000 tables? You should design the report model for users, and allow access to only the 20 tables which they require for reporting. Which is the correct answer?

- A. You should develop DataSet using the Web Service to Schema(s) option.
- B. You should develop DataTable using the Web Service to Schema(s) option.
- C. You should develop a data source view and select only the required tables and views.
- D. You should set the data source view in the setting file.

Answer: C

Question: 5

You are managing a SQL Server 2008 Analysis Services (SSAS) database for Company.com. A sales manager called Clerk is responsible for the sales of bikes in the Northeast region. You decide to give some rights to the rights to Clerk to visit the database. You won two roles below called Southern Region and Nikes. Their schemas are listed below: You have make The Visual Totals properties attribute true for roles above. You should make sure that Clerk could browser the workers in the Product dimension which link to the Nikes category in the Southern region. Which is the correct answer?

Role	Allowed Set
Northeast Region	{[sales Territory],[Sales Territory Region],&[Northeast]}
Bikes	{[Product],[Product Category],[Product Category],&[Bikes]}

- A. You should increase Clerk to a Nikes role
- B. You should increase Clerk to the Southern Region role.
- C. You should increase Clerk to a new role which owns components below:
- D. [Products Territory Region].[Southern]} as the permitted configuration. {[Product].[Product Category].[Product Category].[Nikes]} as the permitted
- E. You should increase Clerk to the default Region role.

Answer: C

Question: 6

You are managing a SQL Server 2008 Analysis Services (SSAS) database which includes a Sale dimension that includes the Category and Subcategory properties for Company.com. There is a rigid relationship type for properties. The data source for the Sale dimension alters the relationship between the Type and Sub Type values. You should make sure that you could run an XML to operate the dimension to reflect the change normally for Analysis (XMLA). Which is the correct answer?

- A. You should utilize the ProcessDefault command.
- B. You should utilize the ProcessClear command.
- C. You should utilize the ProcessIndexes command.
- D. You should utilize the ProcessDefault and the ProcessClear commands.

Answer: D

Question: 7

You are managing a SQL Server 2008 Analysis Services (SSAS) instance for Company.com. In order to execute the Usage-Based Optimization Wizard you should make query logging enable. Which is the correct answer? Which is the correct answer?

- A. You should make the QueryLogSampling server attribute default value.
- B. You should make the QueryLogSampling server attribute 5.
- C. You should configure the server property of DefaultFolders.
- D. You should configure the QueryLogConnectionString server attribute and set a valid connection string.

Answer: D

Question: 8

You are managing a SQL Server 2008 Analysis Services (SSAS) database for Company.com. You get the Duplicate Key error when you operate the Analysis Services database. You should alter the ErrorConfiguration attribute in order to make processing run normally. Which is the correct answer?

- A. You should alter the Dynamic Management View (DMV)
- B. You should alter the Local Group
- C. You should alter the dimension
- D. You should alter the Transactions Log

Answer: C

Question: 9

You are managing a SQL Server 2008 Analysis Services (SSAS) database for Company.com. In order to update data in a partition each hour you should run the incremental processing method. In order to solve the problem, which is the correct answer?

- A. You should utilize ProcessAdd for Analysis (XMLA) command
- B. You should utilize default command for Analysis (XMLA)
- C. You should utilize ProcessNone for Analysis (XMLA) command
- D. You should utilize ProcessView for Analysis (XMLA) command

Answer: A

Question: 10

You are developing a SQL Server 2008 Reporting Services (SSRS) report for Company.com. An assembly should be created in order to run real-time lookup and currency conversion. The assembly has a static class named daily which lives in the namespace HomeCalc. There is a method called DMO which needs two arguments, Current and HomeCalc. When the report is operating, you should reference the ToEUR method in an expression to convert USD to USD. Which is the correct answer?

- A. You should use the expression of =Code. HomeCalc. Daily. USD (Fields! Current.Value, " DMO ")
- B. You should use the expression of =Code! HomeCalc. Daily. USD (Fields! Current.Value, " DMO")
- C. You should use the expression of = HomeCalc. Daily.USD (Fields! Current.Value, "USD")
- D. You should use the expression of = HomeCalc! Daily.USD (Fields! Current.Value, "USD")

Answer: C

Question: 11

You are managing a SQL Server 2008 Analysis Services (SSAS) instance which includes a database for Company.com. You alter the DataDir attribute of the instance to a new folder. You should make sure that the instance utilizes the new folder in the least time. Which is the correct answer?

- A. You should operate the database.
- B. You should operate the database at the same time.
- C. You should stop the Analysis Services service.
- D. Before stopping the Analysis Services service you should remove the files in the original folder,

Answer: A

Question: 12

You are managing a SQL Server 2008 Analysis Services (SSAS) database which includes a dimension called Product for Company.com. You should set the Dimension Data configurations as following: Deny access to the {[Product].[Country].[USA],[Product].[Country].[China]} configure of property workers. New workers increased to the property are seen by default. Which is the correct answer?

- A. You should increase the whole country members.
- B. You should increase property below: [Country].[China],[Product].[Country].[USA]}
- C. You should increase property below: [Country].[China],[Product].[Country].[USA]}
- D. You should increase property below: [Country].[China],[Product].[Country].[USA]}

Answer: B

Question: 13

You are creating SQL Server 2008 Integration Services (SSIS) packages which is stored in a folder on the network for Company.com. All members of the team can view the packages but not the attribute values. Your task is to make the attribute values be protected by password. Which is the correct answer below?

- A. You should Use a batch file that runs the dtutil program to set the PackageProtectionLevel property to EncryptSensitiveWithPassword on each of the SSIS packages you have
- B. You should Use a batch file that runs the dtutil program to set the PackageProtectionLevel property to ServerStorage on each of the SSIS packages you have created.
- C. You should Use the SSIS package designer to set the PackageProtectionLevel property to EncryptAllWithUserKey on each of the previously saved packages.
- D. You should Use the SSIS package designer to set the PackageProtectionLevel property to EncryptSensitiveWithUserKey on each of the previously saved packages.

Answer: A

Question: 14

You are managing a SQL Server 2008 Analysis Services (SSAS) database for Company.com. Through utilizing SQL Profiler, you decide to troubleshoot search function t. You should make sure that it will cost a lot of time to query .Which is the correct answer?

- A. You should utilize store procedure.
- B. You should utilize Query Subcube
- C. You should utilize a Dynamic Management View (DMV)
- D. You should utilize Transactions Log.

Answer: B

Question: 15

You are developing a report which is difficult and cost a lot of time to produce. You use the technology of SQL Server 2008 Reporting Services (SSRS). You should make sure that you could set the report server to cache the report for 40 minutes at the beginning of the request. Which is the correct answer?

- A. Report snapshots should be run for report.
- B. You should run report execution caching for report.
- C. You should set the data source to utilize a DBCC INDEXDEFRAG.
- D. You should set the data source to utilize a DBCC SHRINKFILE. INDEXDEFRAG

Answer: B

Question: 16

You are managing a SQL Server 2008 Reporting Services (SSRS) sample for Company.com. The report users decide to transfer reports by web tools. You should make sure that you could set the server for e-mail delivery through utilizing a server. Which is the correct answer?

- A. You should change the AppSettings.config file.
- B. You should change the RSReportServer.config file
- C. You should change the Machine.config file.
- D. You should change the Web.config file.

Answer: B

Question: 17

You are developing a SQL Server 2008 Analysis Server (SSAS) method which includes a measure group called TestGroup with a one partition for Company.com. The condition listed below should be included Searches which utilize TestGroup on the newest version of the information. In a many aspects format, the whole collections which are member of TestGroup are reserved. In order to solve the problem, which is the correct answer?

- A. You should configure Real-time hybrid online analytical processing (HOLAP)
- B. You should configure Real-time relational offline analytical processing (ROLAP).
- C. You should configure scheduled relational offline analytical processing (ROLAP).
- D. You should configure scheduled online processing (MOLAP).

Answer: A

Question: 18

You are developing a SQL Server 2008 Reporting Services (SSRS) method for Company.com. There are some components listed below:
 A hierarchy called Test in a time dimension called DimTestTime
 A method called SalesNumber
 You decide to increase codes to the cube?
 11. . . . 12 Freeze([Measures].[SalesNumber], 13 [DimTestTime].[Test].[Quarter].[QO 2008]);
 14. . . . For every month in the second quarter of 2008, not only should you add the value of the SalesNumber measure through 80%. But also you should make sure that the value for the second quarter of 2008 keeps common. Which is the correct answer?

- A. You should increase codes below at line 14. Scope([Measures].[DimTime].[Date].[Quarter].[QO 2008]);This=[DimTime].[Date].currentmember * 3;End Scope;
- B. You should increase codes below at line 11. Scope([Measures].[SalesNumber],[DimTestTime].[Test].[Quarter].[QO 2008]);End Scope;
- C. You should increase codes below at line 14 [SalesNumber],Descendants([DimTestTime].[Test].[Quarter].[QO 2008][DimTestTime].[Test].[Month]));This=[DimTestTime].[Test].currentmember * 5;End Scope;
- D. You should increase codes below at line 11. Scope([Measures] SalesNumber,Descendants([DimTestTime].[Test].[Second].[QO 2008][DimTestTime].[Test].[Second]));This=[[Test] [Second].currentmember * 1.5;End Scope;

Answer: C

Question: 19

Through utilizing SQL Server 2008 Analysis Services (SSAS) for Company.com,you are developing a model of data mining. Through utilizing the listed Data Mining Extensions (DMX) codes, you could develop a structure
 CREATE MINING STRUCTURE [Clerk Maker] ([User Key] LONG KEY,[Total Age] LONG DISCRETIZED (Automatic,20),[Clerk Maker] LONG ISCRETE,[Distance] TEXT DISCRETE,[Monthly Income] DOUBLE CONTINUOUS)
 Not only should you develop a mining model which could be operated through utilizing this structure, but also you should make sure that the model utilizes the Microsoft algorithm. Which is the correct answer?

- A. You should add codes below: ALTER MINING STRUCTURE [Clerk Maker] ADD MINING MODEL [Decision Tree] ([User Key], [Total Age], [Clerk Maker] PREDICT, [Distance], [Monthly Income])
- B. You should add codes below: INSERT INTO [Decision Tree] ([User Key], [Clerk Maker], [Monthly Income]) OPENQUERY ([Clerk Maker],'Select [User Key], [Clerk Maker], [Monthly Income]')
- C. You should add codes below: SELECT * FROM [Decision Tree] USING [Microsoft_Decision_Trees] FROM [Decision Tree]
- D. You should add codes below: SELECT * FROM [Decision Tree] USING [Microsoft_Decision_Trees] FROM [Clerk Maker]

8

Answer: A

Question: 20

You are creating a SQL Server 2008 Integration Services (SSIS) package which should be intercalated on 20 servers for Company.com. You can't visit the file system of any server. You should change the package setting attributes when package is running. Which is the correct answer below?

- A. You should create an XML configuration file. Select the XML configuration type in the SSIS Package Configurations Organizer.
- B. You should create a batch file that uses the dtutil utility program to set the package configuration properties while the package deploys into production.
- C. You should Use the SSIS Package Configuration Wizard to create a SQL Server Configuration type. Select a centralized Microsoft SQL Server to store the package configuration
- D. You should create a .REG file that contains entries for each of the configuration properties. Select a single Registry Configuration type in the SSIS Package Configurations

Answer: C

Question: 21

You are developing a SQL Server 2008 Analysis Services (SSAS) method for Company.com. There is a dimension called TestProduct which includes the listed properties.ProductCityCountry The TestProduct dimension is connect with a measure group named Products which owns the Granularity attribute link to City. It is a key for Product. You should make sure that you could search values according to the City and Country properties. Which is the correct answer?

- A. You should configure the source property to Product and the connected property to City. And then configure the source property to City and the connected property to Country.
- B. You should configure the source property to Product and the connected property to City.
- C. You should modify the source property to Product and the connected property to City.
- D. You should delete the source property to Product and the connected property to City.

Answer: A

Question: 22

You are developing a SQL Server 2008 Reporting Services (SSRS) method for Company.com. The cube structure is listed below: For the DimCustomer dimension, you should make sure that the Amount measure could be gathered. Which is the correct answer?

- A. You should develop a one-to-many relationship between DimCustomer and FactTransaction.
- B. You should develop a many-to-one relationship between DimCustomer and FactTransaction.

9

C. Before configuring a data source, you should develop a many-to-many relationship.
 D. Before setting up a data source, you should develop a one-to-one relationship.

group, you should select the appropriate data source.
 You should develop a

Answer: C

Question: 23

You are creating a new project for a client named Company.com. In order to connect to the data source in SQL Server 2008, which is the correct action to take?

project for a client named Company.com. In order to connect to the data source in SQL Server 2008, which is the correct action to take?

- A. You should close the Business Intelligence Development Studio (BIDS). Right-click the server instance in the Enterprise Explorer tree, click the server instance name, and then click the Integration Services option.
- B. You should link the data source to the Reporting Services option in the Business Intelligence Development Studio (BIDS).
- C. You should link the data source to the Integration Services option in the Business Intelligence Development Studio (BIDS).
- D. You should link the data source to the Management Studio option in the Business Intelligence Development Studio (BIDS).

Business Intelligence Development Studio (BIDS). Right-click the server instance in the Enterprise Explorer tree, click the server instance name, and then click the SQL Server 2005 Reporting Services option.
 SQL Server 2005 Reporting Services option.
 click the SQL Server 2005 Reporting Services option.
 click the SQL Server 2005 Reporting Services option.
 SQL Server 2005 Reporting Services option.
 then click the Migrate

Answer: D

70-448 Demo Exam

Get complete 70-448 exam questions and answers by visiting URL

["http://www.techexams.ws/exams/70-448.do"](http://www.techexams.ws/exams/70-448.do)