



70-510

(TS: Visual Studio 2005 Team Foundation Server)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' 70-510 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: **customer.service@techeXams.ws**

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact **customer.service@techeXams.ws**.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer


Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

You have an application in Source Control. You create a branch from a development baseline. Development activity on the branch is isolated from the baseline. You need to synchronize the baseline and the branch by merging them on a regular basis. Which four actions should you perform? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)

List of Actions	Answer Area
Select merge from the shortcut menu in source control explorer.	
Select lock from the shortcut menu in source control explorer.	
Select the Compare option in the resolve version conflicts dialog box.	
Select the latest version option in the source control merge dialog box.	
Select check in pending changes from the shortcut menu in source control explorer.	
Select the source and the target branches for the merge operation in the source control merge wizard dialog box.	

Answer:



Question: 2

You migrate two projects named MyWebApp and MyWindowsApp from a Microsoft Visual SourceSafe (VSS) database to two folders named ConvertedWebApp and ConvertedWindowsApp respectively on Team Foundation Server (TFS). You create a file named settings.xml to use during the migration process. You need to configure the settings.xml file. Which XML fragment should you use?

- A. <Project Source="\$/MyWindowsApp" /> <Project Source="\$/MyWebApp" />
- B. <Project Source="\$/ConvertedWindowsApp" /> <Project Source="\$/ConvertedWebApp" />
- C. <Project Source="\$/MyWindowsApp" Destination="\$/ConvertedWindowsApp" /> <Project Source="\$/MyWebApp" Destination="\$/ConvertedWebApp" />
- D. <Project Source="\$/ConvertedWindowsApp" Destination="\$/MyWindowsApp" /> <Project Source="\$/ConvertedWebApp" Destination="\$/MyWebApp" />

3

Answer: C

Question: 3

You have a folder named `$/MyProj/Dev` in Source Control. The `$/MyProj/Dev` folder maps to a workspace named `MyDev`. The `MyDev` workspace maps to a local folder named `C:\Dev`. There is another folder in Source Control named `$/MyProj/Apps`. You create a folder named `C:\Dev\Apps` on the hard disk. You try to create a workspace named `MyDevClean` by mapping the `$/MyProj/Apps` folder to the `C:\Dev\Apps` folder. The creation of the `MyDevClean` workspace fails. You need to modify the settings to successfully create the `MyDevClean` workspace. What should you do?

- A. Change the status of the mapping of the `MyDevClean` workspace to Active.
- B. Change the status of the mapping of the `MyDevClean` workspace to Cloaked.
- C. Change the mapping of the `MyDevClean` workspace to another local folder.
- D. Change the mapping of the `MyDevClean` workspace to another folder on source control.

Answer: C

Question: 4

You have a source control folder named `Dev` that is branched into a source control folder named `QA`. Active development continues on the `Dev` branch. You check in two files into the `Dev` branch for a hotfix. The Quality Assurance department tests all hotfixes from the `QA` branch. You need to transfer only the hotfix from the `Dev` branch into the `QA` branch. What should you do?

- A. Merge the `Dev` branch into the `QA` branch by Date.
- B. Merge the `Dev` branch into the `QA` branch by Label.
- C. Merge the `Dev` branch into the `QA` branch by Changeset.
- D. Merge the `Dev` branch into the `QA` branch by Latest Version.

Answer: C

Question: 5

You apply a label named `6.4` to a source control folder for the build of your application. The developers on your team have started work on version `7.0` for the build and have checked in code. A developer checked in version `6.4` related updates after the label was applied. You need to include the `6.4` related updates that were missed in your label. What should you do?

- A. Apply a label named `6.4` to the latest version of the project.
- B. Apply a label named `6.4` to a specific changeset of the project.
- C. Apply a label named `6.4` to the workspace version of the project.
- D. Apply a label named `6.4` to the version of the project as on current date.

4

Answer: B

Question: 6

Your application will be developed by four teams. Each team must be able to build and deploy the application. You need to design a branching strategy.

- A. Permit each team to create a branch, and merge the branches back to the original source.
- B. Create one branch for each team. Synchronize the branches to the original source.
- C. Create three branches for the first three teams to work on the original source. Create a fourth branch for the fourth team to work on the original source. Merge the latest version of the original source into the fourth branch.
- D. Create three branches for the first three teams to work on the original source. Create a fourth branch for the fourth team to work on the original source. Merge the latest version of the original source into the fourth branch.

Each team must be able to build and deploy the application. Which branching strategy should you use?

- A. Permit each team to create a branch, and merge the branches back to the original source.
- B. Create one branch for each team. Synchronize the branches to the original source.
- C. Create three branches for the first three teams to work on the original source. Create a fourth branch for the fourth team to work on the original source. Merge the latest version of the original source into the fourth branch.
- D. Create three branches for the first three teams to work on the original source. Create a fourth branch for the fourth team to work on the original source. Merge the latest version of the original source into the fourth branch.

Answer: C

Question: 7

You check out a file from a branch. You need to provide a hotfix that addresses the modifications made to the file. What should you do?

- A. Run the tf checkin command without preserving the file.
- B. Run the tf checkin command with the /p option.
- C. Run the tf checkout command with the /p option.
- D. Run the tf checkout command without preserving the file.

You check out a file from a branch. You need to provide a hotfix that addresses the modifications made to the file. What should you do?

- A. Run the tf checkin command without preserving the file.
- B. Run the tf checkin command with the /p option.
- C. Run the tf checkout command with the /p option.
- D. Run the tf checkout command without preserving the file.

Answer: A

70-510 Demo Exam

Get complete **70-510 exam questions and answers** by visiting URL
["http://www.techexams.ws/exams/70-510.do"](http://www.techexams.ws/exams/70-510.do)