



70-649

(TS: Upgrading MCSE on Windows Server 2003 to Windows Server 2008,
Technology Specialist)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' 70-649 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: customer.service@techeXams.ws

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact customer.service@techeXams.ws.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

Your company has a main office and 15 branch offices. The company has a single Active Directory domain. All servers run Windows Server 2008. You need to ensure that the VPN connections between the main office and the branch offices meet the following requirements:

All data must be encrypted by using end-to-end encryption. The VPN connection must use computer-level authentication. User names and passwords cannot be used for authentication. What should you do?

- A. Configure an IPsec connection to use tunnel mode and preshared key authentication.
- B. Configure a PPTP connection to use version 2 of the MS-CHAP v2 authentication.
- C. Configure a L2TP/IPsec connection to use the EAP-TLS authentication.
- D. Configure a L2TP/IPsec connection to use version 2 of the MS-CHAP v2 authentication.

Answer: C

Question: 2

Your company has Active Directory Certificate Services (AD CS) and Network Access Protection (NAP) deployed on the network. You need to ensure that NAP policies are enforced on portable computers that use a wireless connection to access the network. What should you do?

- A. Configure all access points to use 802.1X authentication.
- B. Configure all portable computers to use MS-CHAP v2 authentication.
- C. Use the Group Policy Management Console to access the wireless Group Policy settings, and enable the Prevent connections to ad-hoc networks option.
- D. Use the Group Policy Management Console to access the wireless Group Policy settings, and disable the Prevent connections to infrastructure networks option.

Answer: A

Question: 3

Your company has 10 servers that run Windows Server 2008. The servers have RDP enabled for server administration. RDP is configured to use default security settings. All administrators' computers run Windows Vista. You need to ensure the RDP connections are as secure as possible. Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Set the security layer for each server to the RDP Security Layer.
- B. Configure the firewall on each server to block port 3389.
- C. Acquire user certificates from the internal certificate authority.
- D. Configure each server to allow connections only to Remote Desktop client computers that use Network Level Authentication.

2

Answer: C, D

Question: 4

Your network contains a server that runs Windows Server 2008. The server has the Network Policy Server (NPS) service role installed. You need to allow only members of a global group named Group1 VPN access to the network. What should you do?

- A. Add Group1 to the RAS and IAS Servers group.
- B. Add Group1 to the Network Configuration Operators group.
- C. Create a new network policy and define a group-based condition for Group1. Set the access permission of the policy to Access granted. Set the processing order of the policy to 1.
- D. Create a new network policy and define a group-based condition for Group1. Set the access permission of the policy to Access granted. Set the processing order of the policy to 3.

Answer: C

Question: 5

Your company has deployed Network Access Protection (NAP). You configure secure wireless access to the network by using 802.1x authentication from any access point. You need to ensure that all client computers that access the network are evaluated by NAP. What should you do?

- A. Configure all access points as RADIUS clients to the Remediation Servers.
- B. Configure all access points as RADIUS clients to the Network Policy Server (NPS).
- C. Create a Network Policy that defines Remote Access Server as a network connection method.
- D. Create a Network Policy that specifies EAP-TLS as the only available authentication method.

Answer: B

Question: 6

You have a server that runs Windows Server 2008. You need to prevent the server from establishing communication sessions to other computers by using TCP port 25. What should you do?

- A. From Windows Firewall, add an exception.
- B. From Windows Firewall, enable the Block all incoming connections option.
- C. From the Windows Firewall with Advanced Security snap-in, create an inbound rule.
- D. From the Windows Firewall with Advanced Security snap-in, create an outbound rule.

Answer: D

3

Question: 7

Your company has a single Active Directory domain and an enterprise root certificate authority. The company plans to use Network Access Protection (NAP) to protect the VPN connections. You build two servers named NPS1 and VPN1. You configure the following functions on the two servers as shown in the following table. You need to ensure that the system health policy is

Server Name	Server Function
NPS1	Network Policy Server (NPS), Remediation Server, System Health Validation Server
VPN1	VPN Server, Radius Server

- A. Reconfigure NPS1 as a RADIUS client.
- B. Reconfigure VPN1 as a RADIUS client.
- C. Add the NAP role to a domain controller.
- D. Add the NAP role to an Enterprise Certificate server.

Answer: B

Question: 8

You deploy a Windows Server 2008 VPN server behind a firewall. Remote users connect to the VPN by using portable computers that run Windows Vista with the latest service pack. The firewall is configured to allow only secured Web communications. You need to enable remote users to connect as securely as possible. You must achieve this goal without opening any additional ports on the firewall. What should you do?

- A. Create an IPsec tunnel.
- B. Create an SSTP VPN connection.
- C. Create a PPTP VPN connection.
- D. Create an L2TP VPN connection

Answer: B

Question: 9

Your company's corporate network uses Network Access Protection (NAP). Users are able to connect to the corporate network remotely. You need to ensure that data transmissions between remote client computers and the corporate network are as secure as possible. What should you do?

- A. Apply an IPsec NAP policy.
- B. Configure a NAP policy for 802.1x wireless connections.
- C. Configure VPN connections to use MS-CHAP v2 authentication.
- D. Restrict Dynamic Host Configuration Protocol (DHCP) clients by using NAP.

70-649 Demo Exam

Question: 10

Your company has a network of servers that run Windows Server 2003. You need to ensure that Remote Desktop Protocol (RDP) connections can be made to the servers.

- A. Configure NAT on the servers.
- B. Configure NAT on the client computers.
- C. Configure NAT on the network routers.
- D. Configure NAT on the network switches.

Answer: A

...servers that run Windows Server 2003. You need to ensure that Remote Desktop Protocol (RDP) connections can be made to the servers.

Question: 11

You perform a security audit on a network application on CRM. You capture network traffic using Network Monitor 3.0. You save the capture file as data.cap. You need to create a file named audit.cap that contains only DNS-related data. What should you do?

- A. Apply the display filter to the data.cap file.
- B. Apply the capture filter to the data.cap file.
- C. Add a new alias to the data.cap file.
- D. Run the nmcap command.

Answer: D

...You perform a security audit on a network application on CRM. You capture network traffic using Network Monitor 3.0. You save the capture file as data.cap. You need to create a file named audit.cap that contains only DNS-related data. What should you do?

- A. Apply the display filter to the data.cap file.
- B. Apply the capture filter to the data.cap file.
- C. Add a new alias to the data.cap file.
- D. Run the nmcap command.

Get complete **70-649 exam questions and answers** by visiting URL
["http://www.techexams.ws/exams/70-649.do"](http://www.techexams.ws/exams/70-649.do)