



74-135

(Developing E-Business Solutions Using Microsoft BizTalk Server 2004)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' 74-135 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: **customer.service@techeXams.ws**

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact **customer.service@techeXams.ws**.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

You are designing an application that will perform ordered message delivery, ensuring first-in-first-out (FIFO) processing of all messages. Which adapter should you use?

- A. File
- B. MSMQT
- C. SQL
- D. SOAP
- E. HTTP

Answer: B

Question: 2

You are creating a Microsoft BizTalk orchestration for Company.com. You plan to have two Receive shapes in a Parallel shape that must receive one approval message each from two different managers before they continue the execution of the process. The first Receive shape (Recv1) is for the first manager, and the second Receive shape (Recv2) is for the second manager. It does not matter who approves the message first. You want to use correlation to correlate the approval messages. You create correlation type Type1 and a correlation set named Set1. You need to make this correlation work. What should you do?

- A. Configure Recv1 to use Set1 as its Initializing Correlation Set. Then configure Recv2 to use Set1 as its Following Correlation Set.
- B. Configure Recv1 to use Set1 as its Following Correlation Set. Then configure Recv2 to use Set1 as its Initializing Correlation Set.
- C. Add a Send shape that initializes Set1, and then configure each of the Receive shapes to follow Set1.
- D. Add a Send shape that initializes Set1, and then configure each of the Receive shapes to initialize Set1.

Answer: C

Question: 3

You are designing a solution that processes a message and then performs two Microsoft SQL Server updates. You want to ensure that none of these transactions will be performed unless all three will be performed. What should you do?

- A. Create all three transactions within a long-running transaction scope. Then use the SQL adapter to update SQL Server.
- B. Create a long-running transaction scope, create delivery notifications for the send port, and use the SQL adapter to update SQL Server.
- C. Create a helper class to do the SQL updates, and call it from an atomic transaction scope that also includes the file pickup.
- D. Mark the orchestration as being a long-running transaction, and use the SQL adapter to update SQL Server

2

Answer: C

Question: 4

You are planning a Microsoft BizTalk Server 2004 orchestration. You want to send a message from within an orchestration back to the Message Box database for delivery to multiple destination systems. You are planning to create and configure a send port for each destination system, in such a way that the filter on each send port determines which system subscribes to which messages. You want the solution to remain loosely coupled. You need to configure your orchestration send port. What should you do?

- A. Select Specify Now for the port binding and configure the subscription properties by using the Port Configuration Wizard.
- B. Select Specify Later for the port binding and create and configure the send ports' subscription properties by using BizTalk Explorer.
- C. Select Dynamic for the port binding and configure the subscription properties by using the Port Configuration Wizard.
- D. Select Direct for the port binding and create and configure the send ports' subscription properties by using BizTalk Explorer.

Answer: D

Question: 5

You want to receive all messages that have the same purchase order number, and to combine all such messages in the order in which they are received into a single message. Which Microsoft BizTalk design pattern should you use?

- A. Batching pattern
- B. Sequential convoy pattern
- C. Parallel convoy pattern
- D. Orchestration with Loop shape

Answer: B

Question: 6

You are designing a trading partner application for Company.com. A partner wants to send Company.com a document that contains multiple encrypted and signed messages. You want to process this document by using only one component. What should you do?

- A. Use a receive pipeline and provide a decode stage in order to decrypt and/or sign the messages.
- B. Use a send pipeline and provide an encode stage in order to encrypt and/or sign the messages.
- C. Use a receive pipeline and provide a decode stage in order to decrypt and/or validate the digital signatures of the messages

3

D. Use a send pipeline and provide an encode stage in order to encrypt and/or validate the digital signature of the messages.

Answer: C

Question: 7

Use a send pipeline and provide an encode stage in order to encrypt and/or validate the digital signature of the messages.

- A. No compensation behavior is provided by default
- B. Only compensations of any nested transactions within the current transaction are invoked.
- C. All compensations within the orchestration are invoked
- D. Only nested compensations that have the same exception handler are invoked.

Answer: B

Question: 8

You want to create a Microsoft BizTalk EAI application. You want this application to integrate messages that are received from a mainframe computer, a legacy accounting system, and a legacy scheduling system. You have configured formatting specifications so that all exported files are in the same format. Each of the three systems exports its files to a separate location in the file system, and the coding that controls these export file system locations cannot be changed. You need to receive these messages by BizTalk. What should you do?

- A. Create a Microsoft Windows service that listens to the three export locations and then moves all files from those locations to a single central location. Point a BizTalk receive function to this location.
- B. Create three separate BizTalk receive ports, using the same maps and schemas in each one
- C. Create three separate BizTalk receive ports, using the same receive location in each one
- D. Create one BizTalk receive port, and create three separate receive locations.

Answer: D

Question: 9

You are designing an orchestration that uses exception handling. This orchestration includes a long-running transaction that calls other transactions that manage an order-placement-andshipment process. You do not plan to provide compensation code for transaction failure. By default, how does Microsoft BizTalk Server handle compensation for this transaction?

- A. The runtime engine performs a default compensation that invokes the compensations of any atomic transactions in the current transaction. The runtime engine first invokes the compensation of the most recently completed atomic transaction. Then it works backward until it has compensated all atomic transactions.

4

- B. The runtime error occurs when the nested transaction is completed and the compensation of the transaction is not performed.
- C. The runtime error occurs when the topmost transaction is completed and the compensation of the transaction is not performed.
- D. The runtime error occurs when the nested transaction is completed and the compensation of the transaction is not performed.

compensations of any
 takes the
 backward until it has
 the compensation of

Answer: B

Question: 10

**You are developing
 of your adapter code
 Microsoft BizTalk A
 installation routine**

- A. Arrange for your installation to be performed by using Windows Management Instrumentation.
- B. Create a .reg file that contains registry files that are used by the installation program.
- C. Add a schema to the installation routine extensions.
- D. Use the BTSIns.exe file to create an MSI file.

**pleted the writing
 by using the
 r adapter
 ld you do?**

lly by using BizTalk
 modifying the sample
 hen arrange for your
 onfiguration
 tions into a Microsoft

Answer: B

74-135 Demo Exam

Get complete **74-135 exam questions and answers** by visiting URL
["http://www.techexams.ws/exams/74-135.do"](http://www.techexams.ws/exams/74-135.do)