



920-124

(Ethernet Switching)

Total Questions: 69

Last Updated: Jan 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 920-124 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

A user wants to allow and disallow communications in their Passport 8600 environment based on device MAC addresses. Which type of VLAN should be employed?

- A. port-based
- B. MAC-based
- C. MAC-device
- D. Device-based

Answer: B

Question: 2

Given the following network information:

A technical training institute has a main office and three branch offices located within a campus environment. The main office uses a Passport 8600 routing switch and each branch office has a Passport 1648T routing switch. The Passport 1648T in each branch office connects to the main office Passport 8600 using Gigabit Ethernet links. OSPF has been implemented as the institute's inter-office routing protocol. The institute wants to be able to share a common connection to the Internet from the main office using the Passport 8600, so that all the branch offices can have access to the latest technology and certification information. Which method should be implemented for the connection between the Passport 8600 and the Internet to provide this capability?

- A. Use BGP-4
- B. Use OSPF
- C. Use RIPv2.
- D. Use default routing

Answer: D

Question: 3

A RIP network has NOT created specific policies that will advertise into an OSPF network. How will OSPF treat the routes?

- A. OSPF will ignore the routes from the RIP network.
- B. OSPF will accept the routes from the RIP network.
- C. OSPF will accept only generic Type I routes from the RIP network.
- D. OSPF will accept only generic Type II routes from the RIP network.

Answer: A

Question: 4

You are designing a network for the 2000s. What are two

- A. They allow for M...
- B. A BPS 2000 can stack.
- C. Multiple STGs c...
- D. When interconn...

Policy Switch (BPS) (Choose two.)

- STGs on the hybrid
- and balancing and
- assigned in different

Answer: C, D

Question: 5

Given this network i...
 A customer has a si...
 Passport 8600. The c...
 uplinks configured i...
 that need to be sup...
 the switches are sta...
 implement fail-safe...
 switches in the stac...
 What must be done...
 situation?

- A. Convert the ML...
- B. Use Gigabit Eth...
- C. Connect the Bay...
- D. Connect at leas...

network via a...
 Gigabit Ethernet...
 number of users...
 installed so that all of...
 customer wants to...
 ools, the remaining...
 oporate network...
 ements in this

Answer: A

920-124 Demo Exam