



920-132

(MPS RIs. 3.0 Application Developer)

Total Questions: 56

Last Updated: Jan 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 920-132 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

A Media Processing Server (MPS) developer has developed an application, which changes the phone line environment option totalcall. Which statement is true in regards to the value of this timer?

- A. The value must first be set using VSH.
- B. The value set will be retained until the application exits.
- C. The current value will always match the value set in the ccm-phoneline.cfg file.
- D. Once the application path which sets the value is executed, the timer's value will remain changed until specifically changed again.

Answer: D

Question: 2

TAPPMAN is a text-based application manager that allows application control without a GUI interface. Which command is used to view the line's status?

- A. check linestatus
- B. view linecondition
- C. tappman linestatus
- D. tappman linecondition

Answer: C

Question: 3

Which command will add the resource vbhstar to the pool poolstat4.

- A. pmgr mkavail vbhstar poolstat4
- B. pmgr mkavail poolstat4, vbhstar
- C. pmgr defpool vbhstar, poolstat4
- D. pmgr cfgrsrc poolstat4, vbhstar

Answer: D

Question: 4

A new host named Gamma1 has been added to the network. You must define a new vtcpd server mode connection on port 5527. Your Media Processing Server (MPS) hostname is Sector2. This is a multiple host network and all remote configurations have been set. Which syntax should be used to properly set up this connection?

- A. vtcpd -l 5527
- B. vtcpd -l Gamma1
- C. vtcpd -l Gamma1: 5527
- D. vtcpd -l 1:Sector2: 5527

2

Answer: A

Question: 5

A Media Processing
'myprompts' on a W

- A. vmm activate m
- B. vmm mmfload m
- C. smp mmf m:\m
- D. vmm mmf m:\m

oulary file named
rammer use?

Answer: B

Question: 6

Mmf files can be act
could you use to act

- A. Issue the comm
- B. Copy the mmf f
- C. Copy the mmf f
- D. Edit the vmm-m

. Which two ways

stem

Answer: C, D

Question: 7

All media files for ca
restart is not allowe

- A. Use the comma
- B. Use the comma
- C. Use the comma

arily. A system
files?

Answer: C

920-132 Demo Exam