



920-249

(Nortel Application Switch Rls.23.xConfig & Admin)

Total Questions: 68

Last Updated: Jan 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 920-249 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which three commands would be useful when troubleshooting an issue with WCR?
(Choose three.)

- A. /cfg/slb/cur
- B. /stats/slb/cur
- C. /info/slb/dump
- D. /info/l3/vrrp/dump
- E. /info/slb/sess/dump

Answer: A, C, E

Question: 2

Each switch filter can be set to only one of four possible choices: allow, deny, and redirect are three of them. Which is the fourth choice?

- A. cloak traffic
- B. stack traffic
- C. disable traffic
- D. translate traffic

Answer: D

Question: 3

What happens to a WCR filter when all real servers in the associated group fail?

- A. The filter becomes a deny filter.
- B. The filter becomes an allow filter.
- C. The filter is ignored and traffic will be dealt with by the next matching filter.
- D. The backup action specified in the advanced filter menu will be used instead of redirection.

Answer: B

Question: 4

What does Virtual Matrix Architecture (VMA) do?

- A. VMA allows filtering to be configured on all physical ports.
- B. VMA allows the switch to process TCP traffic from telnet sessions.
- C. VMA takes individual resources from any back-up switch and utilizes them for load balancing.
- D. VMA makes use of any unused resources within a switch by distributing the workload to multiple processors.

Answer: D

Question: 5

Which two require...

... (Choose two.)

- A. edge routing
- B. no clustering
- C. session-based t...
- D. single point of c...

Answer: C, D

Question: 6

Which is the minimu...
Ethernet connection

...ltaneous fast

- A. 2208
- B. 2216
- C. 2424SSL
- D. 3408

Answer: B

Question: 7

Which two are valid...

... (Choose two.)

- A. They can be of v...
- B. They have to be
- C. They can be ter...
- D. They can appea...

920-249 Demo Exam