



920-261

(Nortel Application Switch Rls.24.x Configuration and Admin)

Total Questions: 67

Last Updated: Apr 15, 2009

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 920-261 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

In order to create a BWM (Bandwidth Management) policy you must assign a policy number, specify limits (reservation limit, soft limit, hard limit), and which of the following?

- A. Specify a buffer limit.
- B. Associate a new IP address with the necessary VLAN.
- C. Map IP addresses in a sufficient range.
- D. Create a table entry.

Answer: A

Question: 2

What is an advantage of a bandwidth management policy?

- A. It creates a health check on the available bandwidth.
- B. It creates a set of rules that determines the limits and packet precedence.
- C. It collects rules that assign the traffic specified to a certain port.
- D. It assigns the total amount of bandwidth that gets through the switch.

Answer: B

Question: 3

To manage bandwidth, a bandwidth management contract is created. Which two parameters must the contract include? (Choose two.)

- A. Blocking guidelines for unexpected or unwanted users
- B. A classification policy where frames are grouped together
- C. A key that allows for emergency expansion of bandwidth limits
- D. A policy that specifies a set of bandwidth usage limitations to apply to the frames

Answer: B, D

Question: 4

Which three settings help you to determine whether or not you can apply a specific contract to the Nortel Application Switch? (Choose three.)

- A. Bandwidth management is enabled.
- B. Healthchecks are monitoring traffic flow.
- C. A relevant classification is associated with that switch.
- D. The Application Switch is acting as a "core" Layer 2 device.
- E. The sum of all your CIRs does not exceed the bandwidth available.

2

Answer: A, C, E

Question: 5

What does a Virtual

- A. VIR
- B. VIP
- C. NAT
- D. GSLB

920-261 Demo Exam

Answer: B

Question: 6

Which two paramet

a given VIR?

- A. VRID and Priorit
- B. Priority and Inte
- C. IP address and V
- D. VRID and Interf

Answer: C

Question: 7

Which is true when

)?

- A. Client/server pr
- B. Server processi
- C. All client/server
- D. Sessions are syn

Answer: A