



920-334

(BCM50 Rls.3.0 & BCM200/400 Rls.4.0 Sales Engineering)

Total Questions: 62

Last Updated: Aug 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 920-334 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which encryption method does a BCM system support when IPSec is configured on it?

- A. PKI
- B. RC4
- C. AES
- D. PPTP

Answer: C

Question: 2

A customer has several remote locations that they want to securely connect through the Internet. You explain that using IPSec tunnels between these sites would provide this security; however, they are concerned about it being able to handle all of the remote locations. What is the maximum number of remote sites that can be connected to a BCM50 using IPSec tunnels?

- A. 10
- B. 12
- C. 14
- D. 16

Answer: A

Question: 3

Fallback is a feature that allows a call to progress when a VoIP trunk is unavailable or is not providing adequate quality of service (QoS). By enabling PSTN fallback, you allow the system to check the availability of the VoIP trunks and then switch the call to a PSTN line. For the PSTN fallback to work on a suitable bandwidth, which two statements must be true on a BCM 200 platform? (Choose two.)

- A. The QoS Monitor must be enabled.
- B. The jitter buffer must be configured.
- C. The Transmit threshold must be set.
- D. Proactive Voice Quality Monitoring (PVQM) must be enabled.
- E. IP sets must be configured to use the G.723 Codec.

Answer: A, C

Question: 4

A remote user has the ability to connect to an ISP and then to a specific route into a BCM that is configured for IPSec Remote User. The remote user can also print locally even while connected remotely to the BCM. Which functionality does this describe?

2

- A. split routing
- B. dual routing
- C. split tunneling
- D. dual tunneling

Answer: C

Question: 5

BCM supports a queued priority fashion or unclassified that packets in the high priority queues. How

- A. 1
- B. 2
- C. 4
- D. 7

placed in an absolute discipline ensures starving the lower Rls. 4.0 support?

Answer: D

Question: 6

A network administrator required on their BCM this determination?

- A. The range is 0 to
- B. The range is 0 to
- C. Each voicemail
- D. Each voicemail

voicemail ports entered when making

Answer: B, C

920-334 Demo Exam