



## **920-430**

**(Communication Server 1000 Rls.5.0 Applications Engineering)**

Total Questions: 60

Last Updated: Dec 31, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 920-430 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

### Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: [refund@techeXams.ws](mailto:refund@techeXams.ws). We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

### Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: [feedback@techeXams.ws](mailto:feedback@techeXams.ws)

### Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

## Question: 1

**A Communication Server 1000E Rls. 5.0 customer is planning to deploy a Wireless IP network with 150 WLAN 2212 telephones. What is required to enable all the telephones to make calls concurrently on their WLAN system?**

- A. one WLAN IP Telephony Manager 2245
- B. two WLAN IP Telephony Manager 2245s
- C. three WLAN IP Telephony Manager 2245s
- D. one WLAN IP Telephony Manager 2245 and one 2246 WLAN Application Gateway

Answer: C

## Question: 2

**A Communication Server (CS) 1000E Rls. 5.0 customer is planning to deploy an 802.11 WLAN network to increase employee productivity. The wireless telephones and the WLAN IP Telephony Manager 2245 will be statically configured. In this configuration, which component is considered optional?**

- A. DHCP server
- B. Syslog server
- C. Line Telephony Proxy Server (LTPS)
- D. Trivial File Transfer Protocol (TFTP) server

Answer: A

## Question: 3

**A local hotel wants to provide Nortel Guest Services on all IP telephones in their 400-guest facility to allow for scheduled broadcast alerts. What is required for this deployment?**

- A. IP Phone 2007 with IBM x306 server running XAS feature
- B. IP Phone 2007 with Applications Gateway 1000/2000 Server
- C. IP Phone 2004 with ISP 1100 Signaling Server running XAS feature
- D. IP Phone 2001/1110 with ISP 1100 Signaling Server Applications Gateway 1000/2000 Server

Answer: B

## Question: 4

**When planning the deployment of a new Communication Server (CS) 1000E Rls. 5.0, which rule is correct when organizing the IP Address requirements for nodes?**

- A. TLAN addresses can be on a different subnet for a given node.
- B. TLAN addresses must be on the same subnet as the system core ELAN.
- C. ELAN addresses must be on the same subnet as the system core ELAN.
- D. ELAN addresses for nodes may be on a different subnet from the system core ELAN.

2

Answer: D

Question: 5

A customer is planning a new 1000E (HA) system, and wants to streamline their communications management network. What is true?

- A. ELAN node IP addresses are required.
- B. Calls between IP Line Rls. 5.0 and CS are not supported.
- C. An IP User license is required for each IP Line Rls. 5.0 user.
- D. IP Line Rls. 5.0 is not supported on the same system as CS.

Communication Server (CS) is required to streamline established data

ds.  
 00.  
 cy.

Answer: C

Question: 6

A multi-site customer is planning to deploy a new IP Line Rls. 5.0. They want to ensure security. Which statement is true?

- A. It encrypts Unicast traffic.
- B. It is not supported on the MC32S card.
- C. It is plug-and-play.
- D. It enables SRTP.

) 1000 network is planning to deploy IP telephones and the MC32S card.

card.  
 n the MC32S.

Answer: D

Question: 7

A customer is planning to upgrade their system. Which statement is true?

- A. a MC32S card is required.
- B. a LINUX-based system is required.
- C. Communication Manager is required.
- D. a VxWorks-based system is required.

air private data

Answer: D

# 920-430 Demo Exam