



920-449

(Contivity Security)

Total Questions: 50

Last Updated: Dec 12, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 920-449 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

A Contivity configuration has two private interfaces (LAN 0 and LAN 1) and one public interface (LAN 3) with Application servers residing on LAN 0. An administrator needs to create a default rule in order to allow users from LAN 1 and tunneled users from LAN 3 to access the application servers in LAN 0. What would be the most secure interface classification for the source interface?

- A. Any
- B. Trusted
- C. Tunnel: Any
- D. LAN 1 and LAN 3

Answer: B

Question: 2

A technician is setting up a rule base for a Contivity Stateful Firewall configuration. The technician plans to enable a Lockdown rule. What will be the impact of this rule?

- A. non-tunneled traffic will be blocked
- B. access to the firewall will be blocked
- C. outgoing traffic through the firewall will be blocked
- D. incoming traffic through the firewall will be blocked

Answer: B

Question: 3

A company has a main office and three branch offices. Each branch office has a branch office tunnel (BOT) connection to the main office. The following conditions exist: - Contivity firewall is disabled but each BOT has a default setting of ermit all?tunnel filter configured under the group profile. - Contivity firewall is disabled but each BOT has a default setting of ?ermit all?tunnel filter configured under the group profile. - The company has their own internal/private DNS server which resides in the main office. - Contivity from each branch offices is acting as DNS proxy. - Workstations from the branch offices are pointing to their local Contivity as the default gateway and DNS server. All workstations from the branch offices can reach all devices in the main office via IP address but cannot reach them through DNS names. What is the most likely cause of the problem?

- A. The access control of ermit all?given to the BOT group is enough to allow DNS to pass through the tunnel so the DNS server could be The access control of ?ermit all?given to the BOT group is enough to allow DNS to pass through the tunnel so the DNS server could be down.
- B. DNS server is up but main office's Contivity has DNS setting unchecked under the allow management traffic for remote servers portion of the permit all rule.
- C. DNS server is up but branch offices' Contivity has DNS setting unchecked under the allow management traffic for remote servers portion of the permit all rule.

2

D. Main office's Contivity has DNS setting checked under the allow management traffic for remote servers portion of the permit all rule but DNS server could be down.

Answer: C

Question: 4

Contivity Stateful Firewall
 customer wants to enable
 connections in their
Authentication (FW)

- A. Users will now be able to connect to the network.
- B. Users will be authenticated to the network.
- C. Users will be authenticated to the network.
- D. Users will be required to provide credentials to access the network.

system. The
 ch office
 all User

ces such as LDAP.
 ces such as RADIUS.
 ey are granted

Answer: D

Question: 5

A Contivity has two
Workstation1 with a
attached to the priv
in the network that
block only traffic fro
to the private interf
address for the acce

- A. Filter action = Deny
- B. Filter action = Deny
- C. Filter action = Deny

terfaces (INT).
 t is directly
 of 20.20.20.1/24 is
 requirement is to
 ers to be applied
 direction, and

Answer: C

920-449 Demo Exam