



922-093

(Communication Server 1000 Rls. 5.0 System Administration and Management)

Total Questions: 25

Last Updated: Jan 01, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 922-093 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

A customer has just deployed a new Communication Server 1000 Rls. 5.0 system. You have been instructed to change the default Level 2 password to comply with the company's security strategy. What level password must you use to change the default Level 2 password?

- A. Level 1 Password (PW1)
- B. Level 2 Password (PW2)
- C. Level 3 Password (PW3)
- D. Limited Access to Overlays Password (LAPW)

Answer: B

Question: 2

A customer has deployed a Communication Server 1000E Rls. 5.0 system at their site. Element Manager is not yet available. When using the Command Line Interface (CLI) to configure the system, you encounter the following system message: OVL0000. What is the meaning of this system message?

- A. A telephone is disabled.
- B. There is a checksum failure.
- C. A user has already logged into the system.
- D. The requested program is not in the tape directory.

Answer: C

Question: 3

A customer has a Communication Server (CS) 1000 Rls. 5.0 system deployed. If using the Command Line Interface (CLI) to communicate with the system, what command is used to log into the system?

- A. LOGI
- B. REQ
- C. LOGO
- D. START

Answer: A

Question: 4

A customer has a Communication Server (CS) 1000 Rls. 5.0 system and has requested the addition of two new passwords for general service personnel. If communicating with the system using the Command Line Interface (CLI),

2

which Overlay (LD) would you use to add passwords, assuming you have the appropriate access permissions?

- A. LD 15
- B. LD 17
- C. LD 22
- D. LD 117

Answer: B

Question: 5

A customer has a Co telephone in LD 11, system?

- A. CO - DID - FX - R
- B. Loop - Shelf - Ca
- C. Power - Memor
- D. Tone - Transmit

When adding a digital () for this type of

Answer: B

Question: 6

A customer has a Co Errors and Events Log messages on screen System Lookup Mes

- A. ON
- B. OFF
- C. LOADED
- D. ENABLED

When working with System play system be set to for the

Answer: A

922-093 Demo Exam