



922-111

(Communication Server 1000 to Rls. 6.0 Upgrades for Technicians)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' 922-111 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: **customer.service@techeXams.ws**

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact **customer.service@techeXams.ws**.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

A customer with a Communication Server (CS) 1000E Rls. 5.5 HA system with two IPMGs and dual CPPM Signaling Servers is upgrading their system to release 6.0. The system is part of an IP Peer Network that includes a NRS database. Which upgrade step is correct?

- A. Use NRS Manager to download the NRS backup file to a compact flash.
- B. Use Element Manager to download the Signaling Server backup file to a compact.
- C. User NRS Manager to download the NRS backup file to the local PC.
- D. Use Element Manager to download the Signaling Server backup file to the local PC.

Answer: C

Question: 2

A customer with an existing Option 11C Rls. 5.5 chassis system is planning to upgrade to a Communication Server 1000E Rls. 6.0 Standard Availability. A CPPM Co-Resident Call Server and Signaling Server card will be installed. The system will automatically map small system Terminal Numbers to large system Terminal format during the upgrade. In this upgrade scenario, which actions must be completed manually? (Choose two.)

- A. Re-programming Digital Trunk Terminal Numbers with a new format.
- B. Programming the DSP daughterboards on the IP Media Gateway.
- C. Entering the IP address for each IP Media Gateway in LD 97.
- D. Re-programming Tone Receiver Terminal Numbers with a new format.

Answer: B, C

Question: 3

A customer with an existing Option 11C Rls. 5.5 chassis system is planning to upgrade to a Communication Server 1000E Rls. 6.0 Standard Availability. A CPPM card will be installed as a Co-Resident Call Server and Signaling Server during the upgrade. Which task must be completed prior to loading Linux Base onto the card? (Choose two.)

- A. The BIOS of the card must be updated to version 18.
- B. The S5 switch must be set to position 1.
- C. The CMOS settings must be reset to factory defaults.
- D. The on-board 1 GB Compact Flash must be installed.

Answer: A, C

- A. Insert the boota
- Call Server card.
- B. Reboot the card
- C. Insert the RMD
- Resident Call card.
- D. Connect the adr

emplate of the CPPM

ate of the CPPM Co-

Answer: D

Question: 6

**A customer is upgra
 1000E Rls. 6.0 Stand
 this upgrade, the cu
 Signaling Server Car
 Signaling Server are**

**Communication Server
 chassis. As part of
 all Server and
 nt Call Server and**

- A. The CPPM Co-R
- B. The CPPM Co-R
- application.
- C. The CPPM Co-R
- device to install Lin
- D. The CPPM Co-R
- device to install No

address.
 he SIP Line Gateway

f a USB memory

f a USB memory

Answer: A, D

922-111 Demo Exam

Get complete **922-111 exam questions and answers** by visiting URL
["http://www.techexams.ws/exams/922-111.do"](http://www.techexams.ws/exams/922-111.do)