



9L0-610

(Xsan Administration v1.1)

Total Questions: 67

Last Updated: Oct 23, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' 9L0-610 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

To view the WWPNS for an Apple Fibre Channel PCI-X card, use _____.

- A. Xsan Admin
- B. Fibre Channel Utility
- C. RAID Utility
- D. cvadmin

Answer: B

Question: 2

Which application allows you to monitor the status of disks within Xserve RAID LUNs?

- A. Activity Monitor
- B. Disk Utility
- C. RAID Admin
- D. Xsan Admin

Answer: C

Question: 3

Which statement is implied by the concept called "information lifecycle management"?

- A. All information should be backed up in a weekly cycle.
- B. Disk-to-disk backup should be used for archival information.
- C. Information should be regularly cycled between backup devices.
- D. Storage resources should be allocated according to importance of data.

Answer: D

Question: 4

Xsan is a _____ file system.

- A. local
- B. cluster
- C. network
- D. distributed

Answer: B

Question: 5

RAID Admin LUN mapping and masking features allow you to _____.

- A. create folders that map data to a specified LUN or LUNs
- B. create LUNs that are available to only one client
- C. create LUNs that consist of a single dedicated drive

2

D. add more disks to a LUN without taking the array offline

Answer: B

Question: 6

Indicate the correct

- A. Host machine p Stealth."
- B. Host machine p Stealth."
- C. Both host mach Stealth."
- D. Both host mac health."

witch for Xsan.

- ts set as "Target with
- s set as "Initiator with
- tealth."
- health."

Answer: A

Question: 7

When naming an X

- A. Any low-ASCII
- B. Only letters an
- C. Only lowercase
- D. Only uppercase
- E. Volume names
- F. Volume names
- G. Volume names

se TWO.)

Answer: B, F

Question: 8

What is the recom

- B. F
- C. Arbitra
- D. Switched fa

l PCI-X card?

Answer: A

Question: 9

Fibre Channel Arbitrated Loop addresses use only the _____ field of Fabric Address Space.

- A. Area
- B. Domain

- C. Loop
- D. Port

Answer: D

Question: 10

Within a storage pool

- A. LUNs
- B. volumes
- C. disks
- D. affinities

Answer: A

Question: 11

Which is an advantage

- A. Switches support...
- B. Switches use FC...
- C. Switches enable...
- D. Switches allow...

Answer: D

Question: 12

Xsan clients talk to


- A. fsm
- B. fsmpm
- C. servermgrd
- D. watchdog

Answer: B

Question:

Which is the

- A. Create LUNs, label LUNs, create storage pools, create volumes.
- B. Create LUNs, label LUNs, add LUNs to storage pools.
- C. Create volumes, create storage pools, label LUNs, add LUNs to storage pools.
- D. Create LUNs, create storage pools, label LUNs, add LUNs to storage pools, create volumes.



Answer: B

Question: 14

In Xsan implementation, which two components connected to a Fibre Channel switch are called _____.

- A. ISLs and SFPs
- B. volumes and LUNs
- C. F ports and E ports
- D. initiators and targets
- E. sources and destinations

Answer: D

Question: 15

The aggregate bandwidth of a Fibre Channel link is _____.

- A. increases as number of ports increases
- B. decreases as number of ports increases
- C. is 2 Gb/s (half of the link speed)
- D. cannot exceed 1 Gb/s

Answer: A

Question: 16

Creating multiple storage volumes on a single Xsan pool _____.

- A. improve performance
- B. improve read/write throughput
- C. increase the bandwidth
- D. decrease the number of volumes

Answer: B

9L0-610 Demo Exam