



GEO-703

(GCP7 System Consultant Voice Platform)

Total Questions: 100

Last Updated: Oct 17, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' GEO-703 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

When using URL Scan, the location of <Application_Name>.xml is _____.

- A. <EMPS Install Directory>\CN\EMPS\Web\data
- B. <EMPS Install Dir>\CN\openldap\data\genesys
- C. <EMPS Install Dir>\CN\web\did_url_mappings\0200
- D. <EMPS Install Directory>\CN_EMPS\Web\Applications\0200

Answer: C

Question: 2

In a Behind the Switch configuration, the VCS carries out instructions from _____.

- A. IVR Server only, in the form of IVR ServerXML
- B. T-Server only, in the form of TLib Events
- C. Web Server, in the form of VoiceXML
- D. IVR Server client, in the form of XML

Answer: C

Question: 3

With an In-Front of the Switch implementation using Genesys Framework, what type of configuration with T-Server is required in Configuration Manager?

- A. IVR Server connects to "Real T-Server", such as Alcatel T-Server, and connects to real Switch over CTI link.
- B. IVR Server connects to "Virtual" T-Server which then connects to Virtual Switch
- C. A T-Server configuration is not required
- D. IVR Server connects to "Virtual" T-Server and connects to Real Switch over CTI link

Answer: B

Question: 4

When planning the sizing and capacity for a GVP deployment, which of the following should be considered?

- A. In-Front or Behind-the-Switch mode of operation
- B. SNMP tools for monitoring network
- C. Expected call volume
- D. Operating system of the web servers

Answer: C

Question: 5

Which of the following is a supported operating system for the Genesys Cloud CX platform?

- A. IBM Websphere
- B. Asterisk
- C. Microsoft Windows
- D. Linux

Answer: A

Question: 6

The process on the Genesys Cloud CX platform that monitors the health of the system is the

- A. Page Collector
- B. IVR Server Client
- C. Call Flow Assistant
- D. WatchDog

Answer: D

Question: 7

In a single-tenant customer name is the default

- A. GVPOwner
- B. Admin
- C. Genesys
- D. NSP

Answer: B

Question: 8

Prior to installing the Genesys Cloud CX platform on the computer that hosts the

- A. Dialogic software
- B. IVR Server
- C. SIP Switch
- D. Voice Application Reporter

Answer: A

GEO-703 Demo Exam

Answer: A

Question: 9

When using the Supervisor Configuration Wizard to create the configuration for GVP, the user must specify the user name for the GVP. Which user name should be used?

- A. cn=Manager
- B. GVPOwner
- C. cn=Directory Manager
- D. admin

Answer: C

Question: 10

Which protocol is used for the IVR configuration?

- A. IVR XML
- B. IVR VXML
- C. Tlib

Answer: A

Question: 11

What type of request is used to interact with the Supervisor Configuration Manager?

- A. INVITE
- B. ACK
- C. MRCP
- D. T-Events

Answer: A

Question: 12

How

- A. One step: Click Add.
- B. One step: Use the Deploy button.
- C. Two steps: Click Add and then click on Deploy.
- D. Three steps: Click Add, click on Deploy, and then click on Deploy.

Answer: C

GEO-703 Demo Exam