



COG-310

(IBM Cognos TM1 Developer)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' COG-310 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: customer.service@techeXams.ws

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact customer.service@techeXams.ws.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

Why would an application developer assign a negative weight to an element in a dimension?

- A. To store credit balances without a negative sign.
- B. To provide an alternate drill down path to the dimension.
- C. To display data in different formats.
- D. To store data in multiple hierarchies.

Answer: A

Question: 2

Which of the following element types identifies the lowest level in a dimension hierarchy?

- A. String
- B. Attribute
- C. Consolidation
- D. Simple

Answer: D

Question: 3

The sales report needs to use the current price of cars in the pricing cube in order to calculate the current revenue in the sales cube. Which of the following should the application developer use to create this calculation so that it is continuously updated?

- A. VBA
- B. Rules
- C. Microsoft Excel
- D. Turbo Integrator

Answer: B

Question: 4

Why would an application developer use a DB () function in an internal cube reference?

- A. To nest another function into it.
- B. To format data in a cube.
- C. To clear data in a cube.

D. To display an alias.

Answer: A

Question: 5

An application developer would like to calculate the average percentage ratio instead of the default hierarchy consolidation, but leave the ratio calculation as it appears. Which of the following will do this?

- A. Use a function to determine the aggregated cells.
- B. Use an alias to determine the aggregated cells.
- C. Use a feeder statement to determine the aggregated cells.
- D. Use a C: to determine the aggregated cells.

Answer: D

Question: 6

Which of the following must be used to reference cube, dimension, and element names in a rule?

- A. Curly braces
- B. Single quotes
- C. Square brackets
- D. Double quotes

Answer: B

Question: 7

Which of the following examples will apply a rule to a subset of the Month dimension?

- A. [{'Jan', 'Feb', 'Mar'}]
- B. ["Jan", "Feb", "Mar"]
- C. ['Jan', 'Feb', 'Mar']
- D. [('Jan', 'Feb', 'Mar')]

Answer: A

Question: 8

Which of the following is used in a function to evaluate the current element from the Month dimension?

- A. 'January'
- B. !January
- C. 'Month'
- D. !Month

Answer: D

Question: 9

Which of the following is the best location to calculate a formula once a month, when the data is updated?

- A. Rule
- B. Hierarchy
- C. Turbo Integrator
- D. Relational Database

Answer: C

Question: 10

Which of the following functions can be used in rules to share data across cubes?

- A. IF
- B. DB
- C. Continue
- D. STET

Answer: B

Question: 11

Which of the following options should an application developer use when they need to verify the children of a selected consolidated cell are fed properly?

- A. Check calculations
- B. Trace calculations
- C. Trace feeders
- D. Check feeders

Answer: D

Question: 12

Some users would like to be able to log in with their account number. On the other hand, some users would like to be able to log in with their name. Which option should the application developer use?

- A. Create a text attribute for each user.
- B. Define an alias for each user.
- C. Define two alternate user names for each user.
- D. Create two dimensions for each user.

allowed by the application developer. Which option should the application developer use?

Answer: B

Question: 13

The application developer has created a dimension yet the result does not appear in the report. Which option should the application developer use?

- A. A rule impacting the dimension.
- B. A rule impacting the report.
- C. A rule impacting the data source.
- D. A rule impacting the user.

dimension yet the result does not appear in the report. Which option should the application developer use?

Answer: B

Question: 14

When an application developer is creating a dimension, which of the following statements should be true?

- A. SKIPCHECK should be set to true.
- B. The dimension should be created as a primary dimension.
- C. The dimension should be created as a secondary dimension.
- D. FLATTEN should be set to true.

following statements should be true? Which of the following statements should be true?

Answer: A

COG-310 Demo Exam