



COG-635

(IBM Cognos 10 BI Metadata Model Developer)

Document version: 11.05.07

Important Note About COG-635 PDF

techeXams' **COG-635 PDF** is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

What objects can be created within the Cognos Namespace?

- A. Roles and users
- B. Groups and roles
- C. Groups and users
- D. Members

Answer: B

Question: 2

How can a developer define a specific view of the data and restrict access to it?

- A. Apply cube-based security.
- B. Set member-based security.
- C. Apply namespace-level security.
- D. Set package-based security.

Answer: B

Question: 3

What can be done to apply member-based security if the model contains cube groups?

- A. Define the security for each member cube.
- B. Inherit the security that was used in the control cube.
- C. Create a hierarchical custom view.
- D. Create a descendant custom view.

Answer: A

Question: 4

What can be created if the financial analyst wants to look at the data by fiscal year, while the senior manager wants to analyze the data by calendar year?

- A. An alternate hierarchy in the time dimension.
- B. A subdimension in the time dimension.
- C. A special category.
- D. A calculated category.

Answer: A

Question: 5

What can be applied to a category if only the parent and child categories are required?

- A. Suppress
- B. Exclude
- C. Summarize
- D. Cloak

Answer: A

Question: 6

The time dimension contains levels for year, quarter, and month. How can the month levels in 2008 be retained while removing them from 2007?

- A. Add a special category.
- B. Add a manual level.
- C. Create a scenario dimension.
- D. Create a subdimension.

Answer: D

Question: 7

What must be unique to create an alternate hierarchy?

- A. The top level

- B. The highest level in a dimension
- C. The lowest level in a dimension
- D. The level of convergence

Answer: D

Question: 8

What can a developer set up to analyze actual, planned, and forecasted budget information that do not rollup into a single root category?

- A. Scenario dimension
- B. Calculated category
- C. Special category
- D. Exception dimension

Answer: A

Question: 9

The dimensions in the model include Product, Customer, and Order. If the Powercube should focus on the sales orders, how can the developer remove customer data?

- A. Omit the dimension from the PowerCube.
- B. Apex the dimension in the model.
- C. Set measure allocation for the Customer dimension.
- D. Suppress the dimension in the model.

Answer: A

Question: 10

The Region dimension is organized by Territory, Country, and City. Which option can be applied to only show data for the United States and its descendants?

- A. Suppress
- B. Apex

- C. Summarize
- D. Cloak

Answer: B

Question: 11

A dimension organizes all the regions by Country and City. Disregarding the hierarchical organization, how can the five best performing regions be grouped?

- A. Create a scenario dimension.
- B. Add an alternate drill-down path.
- C. Add a special category.
- D. Create a subdimension.

Answer: C

Question: 12

When there are too many child categories, what can be created to allow intermediate groupings?

- A. A cube group
- B. An alternate drill-path
- C. A manual level
- D. A subdimension

Answer: C

Question: 13

A developer created a cube for each regional Sales Manager. Each cube should contain only the transactional details for each Sales Manager's region, as well as the summarized values for other regions. What should be created?

- A. Custom view
- B. Cube group
- C. Apexed view

D. Suppressed view

Answer: B

Question: 14

What can be created to determine the monthly growth showing the percentage of change between Current Month and Last Month for all measures included in the PowerCube?

- A. Calculated columns
- B. Calculated categories
- C. Calculated measure
- D. Alternate hierarchies

Answer: B

Question: 15

Which option decreases cube size by removing data from the cube?

- A. Suppress
- B. Summarize
- C. Apex
- D. Cloak

Answer: C

Question: 16

What can be done in a manual level to keep new data separate until it can be connected to the appropriate parent category?

- A. Create an orphanage category.
- B. Create a special category.
- C. Include categories when needed.
- D. Prohibit automatic creation of new categories.

Answer: A

Question: 17

What can be created to provide new insight into the data if Margin Ranges are defined as Low, Medium, and High, based on a calculated column using the revenue and cost columns?

- A. Scenario dimension
- B. Exception dimension
- C. Special category
- D. Calculated category

Answer: B

Get Full Version of Exam COG-635 PDF Q&A

techeXams presents authentic, genuine and valid study material, which promise 100% success in very first attempt. To take optimal results for COG-635 exam, you need to buy full version of COG-635 question and answer. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. So come join us and quench your thirst for knowledge.

Get complete COG-635 questions and answers by visiting URL

<http://www.techexams.ws/exams/COG-635.do>