



E20-331

(Symmetrix Business Continuity Implementation Exam for 1.e.s)

Total Questions: 163

Last Updated: Jan 01, 2008

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' E20-331 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Where does the SYMCLI license file normally reside on UNIX?

- A. /var/symapi/config
- B. /var/symapi/db
- C. /var/symapi/licenses
- D. /var/symcli/licenses

Answer: A

Question: 2

In the event of failure of the storage array at the target (R2) Site 2, what will occur in a functioning SRDF/Star environment?

- A. An automated failover to the asynchronous target Site 3 will be triggered.
- B. An automated failover to the synchronous target Site 2 will be triggered.
- C. Host activity will be suspended at the primary site.
- D. Host activity will continue without interruption.

Answer: D

Question: 3

Before performing an SRDF swap on a pair of dynamic RDF devices with the 'symrdf swap' command, in which RDF state should the volumes be?

- A. Failed over
- B. Partitioned
- C. Split
- D. Synchronized

Answer: A

Question: 4

A UNIX server has 4 HBAs. Each HBA is zoned to a different FA port on a DMX1000. Each HBA has access to the same 20 Symmetrix Devices. PowerPath has been installed and configured on the UNIX Server. Applications A & B have each been assigned 10 devices. Performance is extremely important for Application A, while availability is critical for both applications. Which PowerPath configuration will meet the requirements?

- A. Set the load balancing policy for all devices for both applications to Least I/O
- B. Set the load balancing policy of all paths of Application B to Symmetrix Optimization
- C. Set the mode for 2 of the paths of Application B to Standby and the other 2 to Active

2

D. Set the mode for all paths of Application B to Standby and all paths of Application A to Active

Answer: C

Question: 5

Under which circumstance is a copy session terminated?

- A. A copy session is terminated when activated.
- B. A copy session is terminated when deactivated.
- C. A copy session is terminated when the source is terminated.
- D. A copy session is terminated when the target is terminated.

Answer: C

Question: 6

A database server has been configured for SRDF/Asynchronous replication. The data is protected between the source and target sites. The Symmetrix log source is configured for:

- A. Group Name Session consistency
- B. Multi-site disaster recovery site
- C. RDF -ECA (Engine Consistency)
- D. The database block consistency

Answer: C

Question: 7

What is the maximum number of sessions that can be established concurrently to a mirror?

- A. 4
- B. 8
- C. 8
- D. 16

Answer: A

Question: 8

A disaster at the source Symmetrix site caused an SRDF/A Multi-session consistency group (MSC group) to stop propagating host writes to the target site. At the time of the disaster one of the target arrays had a complete Receive Delta set and the other one had an incomplete Receive Delta set.

E20-331 Demo Exam

Which action must be performed on the target site data to ensure dependent write consistency?

- A. Consistent split
- B. Database recovery
- C. Enable consistency
- D. MSC cleanup

Answer: D

Question: 9

In which operating system does the 'createpair' operation?

- A. AIX
- B. HP-UX
- C. Linux
- D. Windows

Answer: A

Question: 10

A customer would like to create a performance-sensitive copy at 3 A.M. The retention period is 60 minutes. Which option should be used by a

- A. Create a clone before 2 A.M.
- B. Create a clone at 3 A.M.
- C. Create a clone before 2 A.M. and activate the clone at 3 A.M.
- D. Create a clone at 3 A.M.

that point-in-time source to the target site?

Answer: C

E20-331 Demo Exam