



## **E20-895**

**Backup Recovery - Avamar Expert Exam for Implementation Engineers**

Document version: 8.04.11

## Important Note About E20-895 PDF

techeXams' **E20-895 PDF** is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

### Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

### Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

## Question: 1

**An EMC Avamar customer is currently using a 2 TB Avamar Virtual Edition (AVE) for their backup environment. They want to begin backing up several Oracle databases and file servers running on a new ESX server. It is determined that a separate AVE should be added to the backup environment for these new backups. What should be done when implementing the new configuration?**

- A. Install the new AVE on a different ESX server from the first AVE
- B. Use thin provisioning to create the new AVE
- C. Run benchmark tests for acceptable TCP/IP performance
- D. Use RAID 6 for the physical disk storing the new virtual disk

Answer: A

## Question: 2

**An EMC Avamar customer is running a backup that is being directed to a Data Domain system. The backup has completed successfully; however, it is no longer needed. From Avamar Administrator, the customer manually deletes the backup. When is the backup data deleted from the Data Domain system?**

- A. Immediately on the Data Domain system
- B. Manually deleted on the Data Domain system by the administrator
- C. Next time the Avamar system runs garbage collection
- D. Next time the Data Domain file system cleaning operation runs

Answer: C

## Question: 3

**An EMC employee has been assigned to run securedetele against two clients for a total of 20 GBs on an Avamar server. During a planning discussion with the customer, they want to know what the impact on their Avamar server would be while securedetele is running. What is the correct response to the customer?**

- A. GSAN will be in admin mode and the Avamar server will be read only
- B. Avamar will continue to function with a limited amount of available threads

- C. GSAN will be shut down during the extent of the secureddelete task
- D. Avamar will continue to function without any limitations

Answer: A

Question: 4

**A new EMC Avamar customer wants help in setting up their backup groups and schedules. They are migrating from a traditional tape backup solution with full backups performed once a week and incrementals in between. They have a regulatory requirement to keep an annual backup for seven years but want to keep all other backups for one month. Both Microsoft Windows and Linux clients will be backed up. Based on best practices, what should be recommended?**

- A. Include all clients in the same group using one dataset and an advanced retention policy
- B. Use a separate group for each operating system /retention combination
- C. Enable the default group and use that group for all backups
- D. Use one group for weekly backups and one for the other days of the week

Answer: A

Question: 5

**A customer has an EMC Avamar system backing up a Celerra running DART 6.0 using a single 36 GB NDMP Accelerator Node. They are also going to back up a VNX OE 7.0 system using the same NDMP Accelerator. Each NAS device has four volumes configured on it. Backups will be configured on the Avamar system for both NAS storage devices to start at the same time. What will occur when the NDMP backups start using default settings?**

- A. Both backups will start with two active streams each
- B. One NAS device will start its backup with four streams, the other will queue
- C. One NAS device will start its backup with one stream, the other will queue
- D. Both backups will start with one stream each

Answer: B

Question: 6

**A customer has an EMC Avamar integrated with a Data Domain system as a backup solution. They would like to use encryption for the backups that are directed to the Data Domain system. Which method(s) of encryption can be used in this environment?**

- A. Enable encryption-at-rest on the Data Domain system
- B. Enable in-flight encryption between the client and the Data Domain system
- C. Both in-flight encryption and encryption-at-rest are not supported
- D. Enable both in-flight encryption and encryption-at-rest

Answer: A

Question: 7

**An EMC Avamar customer has a Celerra running DART 6.0 with 20 TB of data. There are approximately 10 million files distributed across two Data Movers. They would like to backup the NAS in approximately five hours. What is the maximum number of streams that can be configured?**

- A. 2
- B. 4
- C. 8
- D. 16

Answer: D

Question: 8

**An EMC customer has a three-node cluster with the Avamar Windows client installed. Each node has the Avamar Exchange 2007 plug-in installed. What should be done to avoid backing up the same data multiple times within a backup window?**

- A. Exclude virtual node file systems from the physical node dataset
- B. Ensure the Quorum drive is backed up only once per week instead of nightly
- C. Ensure both the physical and virtual nodes are in the same Avamar group
- D. Verify that the Exchange database backup is not scheduled at the same time as the file system backup

Answer: A

Question: 9

**An EMC Avamar backup administrator wants to use their company login account for administering an Avamar server. The procedures were followed successfully to update the configuration for external LDAP authentication. However, they still cannot successfully log into Avamar Administrator with the account. Which action is needed?**

- A. Assign a default password to the account in Avamar
- B. Add the account to the Avamar server O/S
- C. Add the user account to Avamar and assign a role
- D. Add an Avamar domain with the same name as the LDAP domain

Answer: C

Question: 10

**An EMC Avamar customer is running a backup that is being written to a Data Domain system. The Data Domain cleaning schedule runs at 8 A.M. on Tuesday mornings. Avamar maintenance runs daily at 6 A.M. A backup has completed successfully; however, it is no longer needed. The customer manually deletes the backup on Wednesday afternoon using the Avamar Administrator. When is the space reclaimed on the Data Domain system?**

- A. At the next Data Domain file system cleaning
- B. Immediately on the Data Domain system
- C. At the next scheduled Avamar garbage collection
- D. When manually deleted from the Data Domain system

Answer: A

Question: 11

**A customer has been performing full backups of their SharePoint farm to an Avamar server. They have installed the Avamar SharePoint backup client without the GLR feature. They want to perform a restore of only one web application, but do not want to take any of the SharePoint farm servers offline. What should be done?**

- A. Install GLR onto a separate Windows client outside of the farm

- B. Install GLR onto the application server to which the web application is to be recovered
- C. Install GLR onto all servers of the SharePoint farm
- D. Install GLR onto the web front-end server

Answer: A

Question: 12

**A customer is successfully backing up 50 virtual machines (VMs) hosted on two ESX hosts. There are two datastores and two proxy servers used for VADP-based backups. They deploy another proxy server to backup 10 new VMs residing on a new datastore. The backups for the new VMs failed with the following error: Event Code: 30931 - Failed to initiate a backup or restore of a virtual machine because no proxy was found to service the virtual machine. What caused this error?**

- A. Not enough space is allocated on the proxy server to mount VM snaps
- B. Proxy server is not provisioned on the new datastore
- C. Proxy host has not been given backup privilege in the vCenter
- D. New datastore is not selected for the proxy server in Avamar Administrator

Answer: D

## Get Full Version of Exam E20-895 PDF Q&A

techeXams presents authentic, genuine and valid study material, which promise 100% success in very first attempt. To take optimal results for E20-895 exam, you need to buy full version of E20-895 question and answer. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. So come join us and quench your thirst for knowledge.

**Get complete E20-895 exam questions and answers by visiting URL**

**["http://www.techexams.ws/exams/E20-895.do"](http://www.techexams.ws/exams/E20-895.do)**