



EE0-511

(F5 BIG-IP V9 Local traffic Management)

Total Questions: 92

Last Updated: Feb 26, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' EE0-511 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

Which three methods can be used for initial access to a BIG-IP system? (Choose three.)

- A. serial console access
- B. SSH access to the management port
- C. SSH access to any of the switch ports
- D. HTTP access to the management port
- E. HTTP access to any of the switch ports
- F. HTTPS access to the management port
- G. HTTPS access to any of the switch ports

Answer: A, B, F

Question: 2

Which three methods are available for remote authentication of users allowed to administer a BIG-IP system through the Configuration Utility? (Choose three.)

- A. LDAP
- B. OCSP
- C. Radius
- D. VASCO
- E. Active Directory

Answer: A, C, E

Question: 3

Which two statements are true concerning differences between BIG-IP platforms? (Choose two.)

- A. The 1500 hosts more ports than the 3400.
- B. All F5 switch ports are tri-speed; 10, 100 or 1000 Mbps.
- C. All BIG-IP platforms use both an ASIC and CPU(s) to process traffic.
- D. The 1500 and 3400 are in a 1U chassis while the 6400 is in a 2U chassis.
- E. The 1500, 3400 and 6400 have greater SSL capabilities after the initial SSL handshake than the 1000, 2400, and 5100.

Answer: D, E

Question: 4

What is the default IP address on a BIG-IP's management port?

- A. 192.168.1.245/16
- B. 192.168.1.245/24
- C. 192.168.245.245/16
- D. 192.168.245.245/24

2

EE0-511 Demo Exam

Question: 5

Which three files/directories are used by the BIG-IP to store configuration information? (Choose three.)

- A. the BIG-IP license file
- B. the BIG-IP log files
- C. the BIG-IP hostnames
- D. the BIG-IP administration files

Answer: B

Question: 6

Which three statements are true regarding the configuration of a virtual server? (Choose three.)

- A. Virtual servers can be configured to use a pool of members.
- B. Virtual servers can be configured to use a single member.
- C. Virtual servers can be configured to use a pool of members and a single member.
- D. Virtual servers can be configured to use a pool of members and a single member's address when processing traffic.

Answer: A, C, D

Question: 7

A load-balancing virtual server is configured with multiple members. Assuming all other settings are correct, which statement concerning traffic processing is always true?

- A. The client IP address is used to determine the BIG-IP and server IP addresses.
- B. The server IP address is used to determine the BIG-IP and client IP addresses.
- C. The client IP address is used to determine the BIG-IP and server IP addresses.
- D. The IP address of the client is used to determine the BIG-IP to server IP addresses in the pool.

Answer: A, B, D

Answer: A