



F50-521

(F5 BIG-IP V9.4 LTM Essentials)

Document version: 9.30.06

Important Note, Please Read Carefully

techeXams' F50-521 Exam is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Latest Version

We are constantly reviewing our products. New material is added and old material is revised. Free updates are available for 90 days after the purchase. You should check your member zone at techeXams and update 3-4 days before the scheduled exam date. Here is the procedure to get the latest version:

1. Go to <http://www.techeXams.ws/>
2. Log in the User Center
3. The latest versions of all purchased products are downloadable from here. Just click the links.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: customer.service@techeXams.ws

Explanations

This product does not include explanations for all questions at the moment. If you are interested in providing explanations for this exam, please contact customer.service@techeXams.ws.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

Where is the load-balancing mode specified?

- A. Within the pool definition
- B. Within the node definition
- C. Within the virtual server definition
- D. Within the pool member definition

Answer: A

Question: 2

Assume a virtual server has a ServerSSL profile. What SSL certificates are required on the BIGIP?

- A. No SSL certificates are required on the BIG-IP.
- B. The BIG-IP's SSL certificates must only exist.
- C. The BIG-IP's SSL certificates must be issued from a certificate authority.
- D. The BIG-IP's SSL certificates must be created within the company hosting the BIG-IPs.

Answer: A

Question: 3

The incoming client's IP address is 205.12.45.52. The last five connections have been sent to members C,D,A,B,B. Given the virtual server and pool definitions and the statistics shown in the exhibit, which member will be used for the next connection?

VS Web Pool Settings		Web Pool Settings	
Destination:	172.160.22.3:80	Load Balancing:	Observed
Profile(s):	TCP	Priority Group Activation:	Less than 3
Pool(s):	Web Pool	Pool Monitor	None
iRule(s):	None		
Persistence:	None		

Web Pool Statistics					
Member	Member Ratio	Member Priority	Response Time	Current Connections	Status
A: 10.10.20.1:80	3	5	4 ms	45	Unknown
B: 10.10.20.2:80	3	5	3 ms	44	Unknown
C: 10.10.20.3:80	3	5	3 ms	30	Offline
D: 10.10.20.4:80	1	1	2 ms	10	Unknown
E: 10.10.20.5:80	1	1	3 ms	12	Unknown

- A. 10.10.20.1:80
- B. 10.10.20.2:80
- C. 10.10.20.3:80
- D. 10.10.20.4:80
- E. 10.10.20.5:80

Answer: D

Question: 4

When upgrading a BIG-IP redundant pair, what happens when one system has been updated but the other has not?

- A. Synching should not be performed.
- B. The first system to be updated will assume the Active role.
- C. This is not possible since both systems are updated simultaneously.
- D. The older system will issue SNMP traps indicating a communication error with the partner.

Answer: A

Question: 5

Assume a client's traffic is being processed only by a NAT; no SNAT or virtual server processing takes place. Also assume that the NAT definition specifies a NAT address and an origin address while all other settings are left at their defaults. If a client were to

initiate traffic to the NAT address, what changes, if any, would take place when the BIG-IP processes such packets?

- A. The source address would not change, but the destination address would be translated to the origin address.
- B. The destination address would not change, but the source address would be translated to the origin address.
- C. The source address would not change, but the destination address would be translated to the NAT's address.
- D. The destination address would not change, but the source address would be translated to the NAT's address.

Answer: A

Question: 6

Which statement is true concerning SSL termination?

- A. A virtual server that has both ClientSSL and ServerSSL profiles can still support cookie persistence.
- B. Decrypting traffic at the BIG-IP allows the use of iRules for traffic management, but increases the load on the pool member.
- C. When any virtual server uses a ClientSSL profile, all SSL traffic sent to the BIG-IP is decrypted before it is forwarded to servers.
- D. If a virtual server has both a ClientSSL and ServerSSL profile, the pool members have less SSL processing than if the virtual server had only a ClientSSL profile

Answer: A

Question: 7

You have created a custom profile named TEST2. The parent profile of TEST2 is named TEST1. If additional changes are made to TEST1, what is the effect on TEST2?

- A. All changes to TEST1 are propagated to TEST2.
- B. Some of the changes to TEST1 may propagate to TEST2.
- C. Changes to TEST1 cannot affect TEST2 once TEST2 is saved.
- D. When TEST1 is changed, the administrator is prompted and can choose whether to propagate changes to TEST2.

Answer: B

Question: 8

Assume a BIG-IP has no NATs or SNATs configured. Which two scenarios are possible when client traffic arrives on a BIG-IP that is NOT destined to a self-IP? (Choose two.)

- A. If the destination IP address is not a self-IP, the traffic will be discarded.
- B. If the destination IP address is a self-IP, the traffic will be forwarded based on routing.
- C. If the destination IP address is a self-IP, the traffic is processed per the virtual servers definition.
- D. If the destination IP address is not a self-IP, the traffic is forwarded, but it cannot be load-balanced.

Answer: A, C

Question: 9

If a client's browser connects to a virtual server using a self-IP, what message is returned to the client?

- A. The connection is refused.
- B. The connection is successful.
- C. The connection is refused with a "Service Unavailable" message.
- D. The connection is successful with a "Service Unavailable" message.

Answer: C

Question: 10

Assuming other fail-over methods are not configured, what occurs if the failed-over cable were to be restored?

- A. As long as network connectivity is restored, traffic is restored to the failed-over interface.
- B. Nothing. Fail-over is permanent.
- C. Traffic is restored to the failed-over interface, but only if the failed-over interface has been up for less than ten minutes.
- D. Traffic is restored to the failed-over interface, but only if the failed-over interface has been up for less than ten seconds.

Answer: C

F50-521 Demo Exam