



HH0-280

Adobe Premiere Pro CS5

Document version: 8.04.11

Important Note About HH0-280 PDF

techeXams' **HH0-280 PDF** is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this exam questions. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. It's our guarantee.

Copyright

techeXams holds the copyright of this material. techeXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Question: 1

Which two statements are true about Hitachi Tiered Storage Manager (HTSM)? (Choose two.)

- A. When a volume is migrated, the source volume is automatically deleted.
- B. After a volume migration the source and target LDEV numbers are swapped.
- C. A LUSE volume can be migrated.
- D. An application outage is necessary in order to complete the migration.

Answer: B, C

Question: 2

A customer has Hitachi Tuning Manager (HTnM) and Hitachi Tiered Storage Manager (HTSM) running in their environment. They would like to use performance data collected by HTnM in HTSM. Which configuration file do they need to edit on the HTSM server to link HTnM and HTSM?

- A. agent.properties
- B. server.properties
- C. tuningmanager.properties
- D. tieredstoragemanager.properties

Answer: C

Question: 3

An external storage volume is connected using two paths in "Multi Mode" to a Hitachi VSP. One of the connecting cables was replaced. Which statement is correct?

- A. The storage system must be re-discovered.
- B. The storage system will recover automatically.
- C. The "Check Paths" action must be performed to recover the path.
- D. The "Restore Volume" action must be performed to recover the path.

Answer: B

Question: 4

What are two features of Hitachi Dynamic Provisioning (HDP) that simplify planning for performance and availability? (Choose two.)

- A. sub-LUN tiering
- B. defining a V-VOL larger than the physical disk
- C. striping I/O over all available HDDs in a pool
- D. using multiple RAID groups in a pool with different emulation types

Answer: B, C

Question: 5

A customer has a Hitachi VSP with a Hitachi AMS2500 used for external storage. The customer would like to understand what conditions are required to migrate volumes to different tiers. All volumes are defined with a capacity of 30 GB. Which three combinations of source and target volumes are valid? (Choose three.)

- A. source LUSE, target DP Volume
- B. source TC P-VOL, target internal volume
- C. source DP volume, target DP volume in different pool
- D. source internal volume cache mode disabled, target external volume cache mode enabled
- E. source external volume cache mode disabled, target external volume cache mode disabled

Answer: B, C, E

Question: 6

A Hitachi VSP customer needs to define over 1000 LDEVs and wants to automate the provisioning process using the PERL scripting language. Which two Hitachi software products can they use? (Choose two.)

- A. Hitachi Provisioning Manager
- B. Storage Navigator
- C. Hitachi Device Manager CLI

D. Hitachi RAID Manager/CCI

Answer: C, D

Question: 7

In which virtualized storage environment can Hitachi Tiered Storage Manager (HTSM) migration tasks be performed?

- A. iSCSI connected NAS -- multi-tiered environment
- B. FC connected external storage mainframe environment
- C. FC connected external storage Open Systems environment
- D. NFS connected NAS -- multi-tiered environment

Answer: C

Get Full Version of Exam HH0-280 PDF Q&A

techeXams presents authentic, genuine and valid study material, which promise 100% success in very first attempt. To take optimal results for HH0-280 exam, you need to buy full version of HH0-280 question and answer. An average of approximately 10 to 15 hours should be spent to study these exam questions and you will surely pass your exam. So come join us and quench your thirst for knowledge.

Get complete HH0-280 exam questions and answers by visiting URL

["http://www.techexams.ws/exams/HH0-280.do"](http://www.techexams.ws/exams/HH0-280.do)