



HP0-390

(Planning and Deployment of HP)

Total Questions: 120

Last Updated: Dec 12, 2007

Document version: 8.27.11

Thanks for purchasing techXams' Study Guide,

techXams' HP0-390 study guide is a comprehensive compilation of questions and answers that have been developed by our team of certified professionals. In order to prepare for the actual exam, all you need is to study the content of this guide. An average of approximately 10 to 20 hours should be spent to study this guide and you will surely pass your exam. It's our guarantee.

Disclaimer

Neither this guide nor any material in this guide is sponsored, endorsed or affiliated with any of the respective vendor. All trademarks are properties of their respective owners.

Guarantee

If you study this guide properly and still unable to pass the exam, please send us a scanned copy of your official score at: refund@techeXams.ws. We will happily reimburse the cost of this study guide or send you an exchange of study guide of your choice free of cost.

Feedback

If you find any possible improvement, then please do let us know. We are always interested in improving the quality of this product. Feedback can be send at: feedback@techeXams.ws

Copyright

techXams holds the copyright of this material. techXams grants you a limited license to view and study this material, either for personal or commercial use. Unauthorized reproduction or distribution of this material, or any portion thereof, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under law.

Question: 1

You are deploying new GbE2 Interconnect Switches, both still configured with factory default settings. You need to reconfigure the setting to match your network infrastructure. You connect to switch A through the external uplink port 19, but your attempt to activate the GbE2 Remote Management IP interface fails. What is the cause of the failure?

- A. the crosslinks are enabled by default, causing infinite loops between the interconnect switches
- B. the GbE2 Remote Management IP interface is disabled by default
- C. the spanning tree protocol is disabled for VLAN 1
- D. the uplink port 19 is not added to the default VLAN 1

Answer: B

Question: 2

How many server bays are available in an HP p-Class server blade enclosure?

- A. 8
- B. 12
- C. 16
- D. 20

Answer: A

Question: 3

You have an original server blade enclosure fully populated with server blades. You need to provide power redundancy to those blades. What is the correct configuration?

- A. one fully populated power enclosure; server blade enclosure side A connected to power enclosure side A
- B. two fully populated power enclosures; server blade enclosure side A connected to side A of both power enclosures
- C. one fully populated power enclosure; server blade enclosure side A connected to power enclosure side A; server blade enclosure side B connected to the power enclosure side B
- D. two fully populated power enclosures; server blade enclosure side A connected to side A of power enclosure 1; server blade enclosure side B connected to side B of power enclosure 2

Answer: C

Question: 4

Which technology is used to prevent loops in a network?

- A. Identity-Based Management
- B. Port trunking
- C. Spanning Tree Protocol
- D. VLAN tagging

Answer: C

Question: 5

Which software packages are included in the HP Deployment Pack? Select THREE.

- A. Altiris Deployment Manager
- B. Automation Manager
- C. HP BladeSystem iLO
- D. Integrated Lights-Out Manager
- E. ProLiant Integration Manager
- F. SmartStart Scripting

Deployment Pack?

Answer: A, E, F

Question: 6

What is the correct order of capabilities for the HP Systems Insight Manager?

- A. A common enterprise management console
- B. Multi-vendor systems management
- C. In-depth hardware life cycle management
- D. System software version management
- E. Hardware status and configuration

capabilities?

- F. HP OpenView
- G. HP Systems Insight Manager
- H. HP Systems Insight Manager
- I. HP Systems Insight Manager

Answer: D

HP0-390 Demo Exam